


**Arcon<sup>®</sup>**

# ELECTRICAL





Tested to UL Specifications

## 30A & 50A SURGE PROTECTORS

- Protects valuable downstream electronics and RV appliances
- Absorbs and diverts high voltage spikes and surges
- Has the highest surge absorption capacity (Joules rating) among portable RV surge protectors
- Detects and alerts of low voltage and improper wiring conditions
- Comes with multi lightning strike protection which diverts the strike energy to ground

### 30A 120V SURGE PROTECTOR

03-8106 19658 30A 120V Surge Protector

- Operating Current: 30A
- Operating Voltage: 120V
- Operating Wattage: 3600W
- Frequency: 60Hz
- Plug/Receptacle Type: TT-30P / TT-30R
- Low Voltage Detection: Appx.  $\leq 106V$
- 3600 Joules of Power Suppression
- 3 Modes of Protection: Hot, Ground, & Neutral
- 1 Year Limited Liability Warranty

### 50A 240V SURGE PROTECTOR

31-8107 19666 50A 240V Surge Protector

- Operating Current: 50A
- Operating Voltage: 240V (120V per line)
- Operating Wattage: 12,000W
- Frequency: 60Hz
- Plug/Receptacle Type: 14-50P / 14-50R
- Low Voltage Detection: Appx.  $\leq 106V$  (per line)
- 7200 Joules of Power Suppression
- 4 Modes of Protection: Hot L1, Hot L2, Ground, & Neutral
- 1 Year Limited Liability Warranty

## PORTABLE HEATERS

- Variable thermostat
- Switch settings: off, fan only, low heat and high heat
- Rating: 1500W / 750W
- Tip-over switch works in all directions
- Lightweight
- 120VAC operating voltage
- CETL approved

08-0018 64408 Coil Heater  
08-0019 64409 Ceramic Heater



**COIL HEATER**  
10.375" H



**CERAMIC HEATER**  
7.5" H





**30A RV TWIST LOCK ADAPTER**  
19-3724 14398 L5-30 x 30A Adapter




**30A RV TWIST LOCK ADAPTER**  
19-3353 11827 L5-30 x 5-20 Adapter



**30A EASY GRIP ROUND ADAPTER**  
Made of durable UV protected PVC with solid brass contacts. Bulk.  
19-3335 14018 30A F-50A M  
19-1138 14018C 30A F-50A M CSA



**50A EASY GRIP ROUND ADAPTER**  
Made of durable UV protected PVC with solid brass contacts. Bulk.  
19-3334 14014 50A F-30A M  
19-1003 14014C 50A F-30A M CSA



**30A DUAL TWIST LOCK ADAPTER**  
30A dual twist adapter.  
• Green LED indicates power  
19-3354 11828 L5-30 M - (2) 5-20 F



**125V 15A TEMPORARY ADAPTER**  
RV round plug. Easy grip handle.  
19-2805 14058C 15A F-30A M CSA Bulk



**125V 30A TEMPORARY ADAPTER**  
RV round plug. Easy grip handle.  
19-3722 13218 30A F-15A M CSA Cd/1  
19-3336 13333 30A F-15A M CSA Bulk



**125V 15A TEMPORARY ADAPTER**  
Triangular replacement adapter.  
19-2166 14053C 15A F-30A M CSA  
19-2405 14054C 15A F-30A M CSA Bulk



**125V 30A TEMPORARY ADAPTER**  
Triangular replacement adapter.  
19-3348 13993 30A F-15A M CSA Cd/1  
19-3339 13995 30A F-15A M CSA Bulk




**30A 90° TEMPORARY ADAPTER**  
90 degree angle RV plug.  
19-3352 14081 30A F-15A M  
19-3723 14082 30A F-15A M Bulk  
19-4332 14081C 30A F-15A M CSA  
19-4497 14082C 30A F-15A M CSA Bulk



**REPLACEMENT RECEPTACLE & PLUG WITH FOLDING HANDLES 30A**

- Used for creating custom extension cords and adapters
- Yellow grasp handles allow for easier plug removal and night visibility
- Constructed of high impact plastic and solid brass contacts
- cUL approved

19-3359 18203 30A Male Cord End  
19-3364 18206 30A Female Cord End




**50A**


- Used for creating custom extension cords and adapters
- Yellow grasp handles allow for easier plug removal and night visibility
- Constructed of high impact plastic and solid brass contacts
- cUL approved

19-3358 19186 50A Male Cord End  
19-3725 19194 50A Female Cord End


*Products with a CSA or cUL designation are certified for sale in Canada.*




14366




14372




14368




14245




14362C



14365C



14367C



14371C

## PREMIUM SERIES PIGTAIL ADAPTERS

- Sturdy pull-handle is designed for easy retrieval
- Pull-handle lays flat against plug
- Outlet covers can be fully closed over plug during use
- High-visibility yellow
- Constructed of durable PVC with solid brass contacts
- Not UL listed

## Premium Series FLAT WIRE PIGTAIL ADAPTERS

Flexible flat bonded 10/3 ga. wire. Packaged; Yellow/Black

19-3313	14366	30A F-15A M, 12"
19-3324	14368	30A F-50A M, 18"
19-3321	14372	50A F-30A M, 18" CSA

## Premium Series TEMPORARY PIGTAIL ADAPTERS

Packaged; Yellow/Black

19-3720	14245	30A F-15A M, 9"
19-4543	14362C	15A F-30A M, 18" CSA
19-4544	14365C	30A F-15A M, 18" CSA
19-4545	14367C	30A F-50A M, 18" CSA
19-4546	14371C	50A F-30A M, 18" CSA

*Products with a CSA or cUL designation are certified for sale in Canada.*

## ECONOMY SERIES PIGTAIL ADAPTERS

- Made of durable PVC with solid brass contacts
- Black cord
- Do not have a handle and are only available in bulk.
- Easy grip on both ends
- Manufactured of flexible flat bonded 10/3 gauge wire.
- Not UL listed

## Economy Series FLAT WIRE PIGTAIL ADAPTERS

Bulk; Black

19-3333	14243	30A F-50A M, 18"
19-3308	14244	50A F-30A M, 18"
19-3719	14246	30A F-15A M, 12"

## Economy Series TEMPORARY PIGTAIL ADAPTERS


Bulk; Black

19-4498	14239C	15A F-30A M, 18" CSA
19-4499	14240C	30A F-15A M, 18" CSA
19-4539	14241C	30A F-50A M, 18" CSA
19-4542	14242C	50A F-30A M, 18" CSA
19-3329	14370	30A F-15A M, 9"


Products with a CSA or cUL designation are certified for sale in Canada.




14246




14244




14243




14370




14239C




14240C



14241C



14242C





## PREMIUM SERIES EXTENSION CORDS

- Sturdy pull-handle is designed for easy retrieval
- Pull-handle lays flat against plug
- Outlet covers can be fully closed over plug during use
- High-visibility yellow; constructed of durable PVC with solid brass contacts

19-3314	11533	Premium 30A, 25ft. w/handle
19-3316	11534	Premium 30A, 50ft. w/handle
19-3317	11535	Premium 50A, 30ft. w/handle

## EXTENSION CORDS

Feature molded male plug on one end and molded female plug on the other

19-3311	14248	30A-30A, 25ft.
19-3312	14249	30A-30A, 50ft.
19-0835	14251	50A-50A, 30ft. CSA



## STRIPPED POWER CORDS

Feature molded male plug on one end and stripped other end


19-3307	14247	30A M-Stripped, 25ft.
19-3332	14250	50A M-Stripped, 25 ft.



## GENERATOR ADAPTER

Enables you to connect a 30A 120V RV extension cord to your generator's twist-lock L5-30 power outage receptacle.

19-3356	14977	L5-30 M - 30A F, 12"
---------	-------	----------------------



## GENERATOR POWER BLOCK

- Adapts one 5-15 plug to three lighted 5-15 receptacles
- Lighted ends confirm power


19-3327	17360	L5-15 M (3) - 5-15 F
---------	-------	----------------------



## PREMIUM SERIES STRIPPED TEMPORARY 18" PIGTAILS

- Made of durable PVC with pull-handle
- Solid brass contacts; Not UL listed

19-3303	14363	30A F-Stripped, 18"
19-3319	14369	30A M-Stripped, 18"



## MULTI-MAX ADAPTER KIT

- Two 17" 30A cords attached to one 6" 50A cord
- Uses two 120V/30A circuits and one 30A-20A adapter (included) to provide 240V/50A of service
- Use a 15A-30A adapter and one 30A cord to hook a 50A RV service cord to a 120V outlet at home

19-3318	17341	Multi-Max Adapter
---------	-------	-------------------



## GENERATOR Y-ADAPTER

Adapts one locking 120V/30A plug to two lighted 5-20 receptacles


19-3357	17361	L5-30 M (2) - 5-20 F
---------	-------	----------------------



## STRIPPED TEMPORARY 18" PIGTAILS

- Made of durable PVC
- Solid brass contacts; Not UL listed

19-3304	14237	30A F-Stripped, 18"
19-3306	14238	30A M-Stripped, 18"



## GENERATOR Y-ADAPTER

Adapter L14-30P adapts one locking 120V/30A plug to two lighted 5-20 receptacles

19-3355	17362	L14-30 M (2) - 5-20 F
---------	-------	-----------------------

## UNIVERSAL PORCH/UTILITY LIGHTS

- Illuminate the surrounding area to improve security and visibility
- Surface mount lights with an optional rocker switch for power
- Black or white base with clear or amber snap-in lens
- Rectangular lights use replacement bulb #1003 and are 5.75" L x 3.5" W
- Oval shaped lights use replacement bulb #1141 and are 6.4" L x 4.2" W
- Replacement Lens Dimensions: 5.25" L x 2.5" W

### Rectangle Lights:

18-0845	20672	LED, Bright White, Clear Lens, White, w/o Switch
18-0860	20673	LED Bright White, Clear Lens, White, w/ Switch
18-2694	20674	LED, Bright White, Amber Lens, White, w/o Switch *
18-2695	20675	LED, Bright White, Amber Lens, White, w/Switch *
18-2696	20676	LED Bright White, Clear Lens, Black, w/o Switch *
18-2697	20677	LED, Bright White, Clear Lens, Black, w/Switch *

18-0780	18111	Incandescent, White, Amber Lens, w/Switch
18-0763	18104	Incandescent, White, Clear Lens, w/Switch
18-0779	18109	Incandescent, White, Amber Lens
18-0759	18102	Incandescent, White, Clear Lens
18-0839	51308	Incandescent, Black, Clear Lens, w/Switch
18-0838	51309	Incandescent, Black, Clear Lens, w/o Switch

### Replacement Lenses:

18-0778	18107	Lens, Amber
18-0777	18106	Lens, Clear

### Oval Lights:

18-2698	20678	LED, Bright White, Clear Lens, White, w/o Switch *
18-2699	20679	LED, Bright White, Clear Lens, White, w/Switch *
18-2700	20680	LED, Bright White, Clear Lens, Black, w/o Switch *
18-2701	20681	LED, Bright White, Clear Lens, Black, w/Switch *

18-0796	51251	Incandescent, Clear Lens, White, w/o Switch
18-0836	51252	Incandescent, Clear Lens, White, w/Switch

### Replacement Lenses:

18-0837	51299	Lens Only, Clear
---------	-------	------------------

## SCARE/PORCH LIGHTS

- Double illumination for enhanced security lighting
- Cost-efficient 18 LED configuration produces 2.7 W/215 lumens
- Durable white stainless steel housing with clear acrylic lens

18-1748	16193	Incandescent Scare Light w/Clear Lens
18-0416	10705	Incandescent Scare Light w/Clear Lens, Bulk

## DIMMABLE LED EURO-STYLE LIGHTS

- Offer a sleek single or double design
- Sliding switch adds convenience of light output control
- Features on/dim/off settings
- Uses replacement bulb #1141
- Single light dimensions: 8" x 4.75", requires mounting screws (not included)
- Double Light dimensions: 11" x 4.75" requires mounting screws (not included)

### Single Light:

18-0930	51265	LED, Bright White, White Lens
18-0931	51266	LED, Bright White, Optic Lens

### Double Light:

18-0935	51267	LED, Bright White, White Lens
18-0936	51268	LED, Bright White, Optic Lens



Limited 1 year warranty on Light fixtures



18122



20669



20670



20668



20667



11824



11825

## EURO-STYLE LIGHTS

- Offer a sleek single or double design
- Colonial or white base with squeeze-to-remove white or optic lens
- Single lights offer a 2-position switch (off/on)
- Double lights offer 3-position switch (off/1 light/2 light)
- Uses replacement bulb #1141
- Single light dimensions: 8" x 4.75", requires 4 mounting screws (not included)
- Double Light dimensions: 11" x 4.75" requires 6 mounting screws (not included)

### Single Light:

18-0782	18122	Incandescent, Optic Lens, White
18-0781	18121	Incandescent, White Lens, White
18-0842	20669	LED, Bright White, Optic Lens
18-0900	20725	LED, Bright White, White Lens
18-0861	20711	LED, Soft White, Optic
18-0863	20713	LED, Soft White, White Lens

### Double Light:

18-0784	18124	Incandescent, Optic Lens, White
18-0783	18123	Incandescent, White Lens, White
18-0641	18015	Incandescent, Optic Lens, Colonial White
18-0635	17926	Incandescent, White Lens, Colonial White
18-0843	20670	LED, Optic Lens, BW
18-0928	20726	LED, Bright White, White Lens
18-0862	20712	LED, Soft White, Optic Lens
18-0864	20714	LED, Soft White, White Lens

### Replacement Lenses:

18-0748	18017	Lens, Optic
18-0675	18016	Lens, White

## ECONOMY LIGHTS

- Low profile interior lights are economical, energy-efficient, and provide bright light
- Easy to clean, snap-out lens offered in clear or optic
- Single lights offer a 2-position switch (off/on) and use replacement bulb #1016
- Double lights offer 3-position switch (off/1 light/2 light) and use replacement bulb #1141
- Single light dimensions: 6.25" x 5.5" x 1-5/8" (wood screws not included)
- Double light dimensions: 11.5 x 5.5 x 1-5/8" (wood screws not included)

### Single Light:

18-0501	11824	Incandescent, Optic Lens
18-0578	14655	Incandescent, White Lens
18-0840	20667	LED, Bright White
18-1788	20715	LED, Soft White

### Double Light:

18-0505	11825	Incandescent, Optic Lens
18-0596	14656	Incandescent, White Lens
18-0841	20668	LED, Bright White
18-0888	20716	LED, Soft White

### Replacement Lenses:

18-0506	11826	Lens, Optic
18-0791	18530	Lens, White
18-0626	14813	Lens, White, Bulk

LED lights offer longer lasting energy efficient lighting and produce better light quality with low heat output



PART #	MFG #	BULB	AMPS	WATTS
18-1682	16751	#53, 2/cd	1.4	0.12
18-1774	16750	#53, 10/box	1.4	0.12
18-1684	16753	#57, 2/cd	0.24	2.9
18-1683	16752	#57, 10/box	0.24	2.9
18-1686	16755	#67, 2/cd	0.59	7.1
18-1685	16754	#67, 10/box	0.59	7.1
18-1676	11971	#71, 2/cd	0.8	10
18-1688	16761	#94, 2/cd	1.04	12.5
18-1724	16800	#194, 2/cd	0.27	3.2
18-1689	16762	#194, 10/box	0.27	3.2
18-1667	50557	#194, Bright White LED, 1/cd	0.065	0.8
18-1668	50558	#194, Bright White LED, 6/cd	0.065	0.8
18-1677	15753	#193, 2/cd	0.33	4.62
18-1690	16763	#211, 2/cd	0.84	10
18-1589	50664	#211, 3 LED, 1/cd 12V	0.028	0.4
18-1691	16764	#211-2, 2/cd	0.97	11.6
18-1588	50687	#211-2, Soft White LED, 1/cd 12V	0.028	0.4
18-1720	16793	#212-2, 2/cd	0.74	8.9
18-1590	50702	#212-2, Soft White LED, 1/cd	0.028	0.4
18-1692	16765	#906, 2/cd	0.69	8.3
18-1678	15754	#906, 10/box	0.69	8.3
18-1725	16801	#912, 2/cd	1	12
18-1679	15755	#912, 10/box	1	12
18-1669	50610	#912, Soft White LED	0.065	0.8
18-1726	16802	#921, 2/cd	1.4	16.8
18-1721	16794	#921, 10/box	1.4	16.8
18-1670	50567	#921, Bright White LED	0.095	1.2
18-1671	51274	#921, Bright White LED, 6/cd	0.095	1.2
18-1672	50564	#921, Soft White LED	0.095	1.2
18-1673	51273	#921, Soft White LED, 6/cd	0.095	1.2
18-1722	16795	#922, 2/cd	0.98	11.8
18-1674	50568	#922, Soft White LED, 1/cd	0.065	0.8
18-1727	50784	#JC20 Halogen 12V, 2/pk	0.6	20
18-1681	16747	#JC10W Halogen, 2/cd	0.84	10
18-1658	50529	#JC10W 9 LED, Bright White	0.84	10
18-1659	51465	#JC10W 9 LED, Bright White, 6/pk	0.84	10
18-1660	50527	#JC10W 9 LED, Soft White	0.84	10
18-1661	51466	#JC10W 9 LED, Soft White, 6/pk	0.84	10
18-1771	50552	#JC10W 6 LED, Bright White	0.84	10
18-1657	50533	#JC10W 6 LED, Soft White	0.84	10
18-1656	51272	#JC10W LED Disc Triple H #G4S	0.84	10
18-1662	50562	#MR11 Bright White LED	0.066	0.8
18-1663	50561	#MR11 Soft White LED	0.066	0.8
18-1772	50559	#MR16 Bright White LED	0.6	20
18-1664	50560	#MR16 Soft White LED	0.6	20
18-1694	16768	#1003, 2/cd	0.94	11.3
18-1693	16766	#1003, 10/box	0.94	11.3
18-1582	50435	#1003, Bright White LED	0.16	2
18-1583	50436	#1003, Bright White LED, 6/pk	0.16	2
18-1584	50455	#1003, Soft White LED	0.16	2
18-1585	50458	#1003, Soft White LED, 6/pk	0.16	2
18-1695	16769	#1004, 2/cd	0.94	11.3
18-1586	50474	#1004, Soft White LED, 1/cd	0.16	2
18-1587	50475	#1004, Soft White LED, 6/cd	0.16	2
18-1696	16770	#1016, 2/cd	1.34	16.1
18-1650	50725	#1016, Bright White LED	0.25	3.2
18-1651	50773	#1016, Soft White LED	0.25	3.2
18-1697	16772	#1073, 2/cd	1.8	21.6
18-1593	50398	#1073, Bright White LED	0.25	3.2
18-1594	50407	#1073, Bright White LED, 6/cd	0.25	3.2
18-1699	16774	#1076, 2/cd	1.8	21.6
18-1698	16773	#1076, 10/box	1.8	21.6
18-1591	50492	#1076, Soft White LED	0.25	23
18-1592	50493	#1076, Soft White LED, 6/cd	0.25	23
18-1708	16775	#1139-IF, Inside Frosted, 2/cd	1.04	12.5





11971



16763



50664



50429



50474



50567



50568



50610



PART #	MFG #	BULB	AMPS	WATTS
18-1710	16777	#1141, 2/cd	1.44	17.3
18-1709	16776	#1141, 10/box	1.44	17.3
18-1599	50368	#1141, 24 LED, Bright White	0.25	3.2
18-1601	50380	#1141, 24 LED, Bright White, 6/pk	0.25	3.2
18-1617	50367	#1141, 24 LED, Soft White	0.25	3.2
18-1618	50377	#1141, 24 LED Soft White, 6/pk	0.25	3.2
18-1595	50373	#1141, 18 LED, Bright White	0.19	2.4
18-1596	50386	#1141, 18 LED, Bright White, 6/pk	0.19	2.4
18-1597	50369	#1141, 18 LED, Soft White	0.19	2.4
18-1598	50385	#1141, 18 LED, Soft White, 6/pk	0.19	2.4
18-1711	16778	#1141-IF, Inside Frosted, 2/cd	1.44	17.3
18-1712	16779	#1142, 2/cd	1.44	17.3
18-1714	16783	#1156, 2/cd	2.1	25.2
18-1713	16782	#1156, 10/box	2.1	25.2
18-1639	50387	#1156, Bright White LED	0.25	3.2
18-1640	50392	#1156, Bright White LED, 6/pk	0.25	3.2
18-1716	16785	#1157, 2/cd	2.1	25.2
18-1715	16784	#1157, 10/box	2.1	25.2
18-1652	50509	#1157, Bright White LED	0.25	3.2
18-1653	50510	#1157, Bright White LED, 6/pk	0.25	3.2
18-1717	16788	#1383, 2/cd	1.54	18.5
18-1680	15758	#1383, 10/box	1.54	18.5
18-1654	50524	#1383, Soft White LED, 1/cd	0.417	5
18-1719	16792	#1895, 2/cd	0.27	3.2
18-1718	16791	#1895, 10/box	0.27	3.2
18-1655	50829	#2099, Soft White LED, 1/cd	0.25	3.2
18-1723	16798	#3157, 2/cd	2.02	24.2

LED	BULBS	Arcon Bright White LED Bulbs		
18-2070	52275	#1156	2.1	25.2
18-2068	52273	#921-5HP	0.242	2.9
18-2066	52271	#G4-3HP	0.167	2
18-2064	52269	#G4-9P4	0.25	3
18-2025	52231	#1141	1.4	17.3

LED	BULBS	Arcon Soft White LED Bulbs		
18-2069	52274	#1156	2.1	25.2
18-2067	52272	#921-5HP	0.242	2.9
18-2065	52270	#G4-3HP	0.167	2
18-2063	52268	#G4-9P4	0.25	3
18-2024	52230	#1141	1.4	17.3

18-1665	50363	Dome Light 24 LED Kit BW 12V	0.158	1.9
18-1666	50366	Dome Light 24 LED Kit SW 12V	0.158	1.9

### Emergency Bulb Kit

Includes: 13 bulbs: (3 - #57 clearance bulbs, 1 - #67 license/courtesy bulb, 2 - #194 clearance bulbs, 1 - #906 interior/porch bulb, 2 - #1003 interior/porch bulbs, 2 - #1141 taillight/interior bulbs, 2 - #1157 taillight/interior bulbs.)

18-1775 16796 Emergency Bulb Kit


### Late Model Emergency Bulb Kit

Includes: 14 bulbs: (1 - #194, 1 - #912, 2 - #921, 2 - #1003, 1 - #1076, 2 - #1141, 1 - #1157, 2 - #3157, 2 - #JC10W.)

19-3923 51270 Late Model Emer. Bulb Kit

## FLUORESCENT LIGHTS

- Available in 16 watt and 30 watt
- Sleek Euro style design
- Surface mount for easy installation
- Features on/off rocker switch



16 watt is 16 7/8" L x 4 3/8" W; 1 3/8" H, uses two 8-Watt, 12" F8T5/CW fluorescent tubes. Draws only 1.8 total amps

18-0507 13812 Crd/1



30 watt is 24" L x 6 1/2" W; 1 3/4" H, uses two 15 watt, 18" F15T8/CW fluorescent tubes. Draws only 3.7 total amps

18-1747 13813 Crd/1

## REPLACEMENT BULBS



18-0633 16749 8W, 12" Tubes, F8T5/CW Pkg/2




18-0630 16748 15W, 18" Tubes, F15T8/CW Pkg/2

## SOFT WHITE LED REPLACEMENTS FOR FLUORESCENT TUBES



18-1773 50708 12" Replacement for F8T5/CW; 30 LED 4.1W, Pkg/1 #T5-12-SW-1 10



18-1675 50713 18" Replacement for F15T8/CW; 54 LED, 7.5W, Pkg/1 #T8-18-SW-1 10

## LED BULB & FIXTURE PLANOGRAMS

Arcon offers two Plan-O-Gram assortments, each of which is designed to maximize your profitability in a minimum amount of space. The large assortment includes 27 bulb skus and 15 fixtures, and is merchandised in a 48" section. We include a complete display kit to make this LED assortment stand out in your store. The smaller assortment is ideal for end-caps in your store and includes 41 bulb skus and 2 fixtures. The Arcon LED Plan-O-Gram is set up to provide a 36" or 48" area of display for RV LED product. It is offered in English or French versions and places 40+ different skus in an area for sale in a store.



### COMPLETE KITS

71-7900	3FTPOGEN	36" Plan-o-gram - English
71-7901	3FTPOGFR	36" Plan-o-gram - French
71-7902	4FTPOGEN	48" Plan-o-gram - English
71-7903	4FTPOGFR	48" Plan-o-gram - French

### BULB & FIXTURE KIT ONLY

81-0826	90066KIT	36" LED Plan-o-gram
81-0827	90067KIT	48" LED Plan-o-gram

### MARKETING KIT ONLY

71-3530	90062	36" LED Marketing Kit, English
71-3531	90063	36" LED Marketing Kit, French
71-3532	90064	48" LED Marketing Kit, English
71-3533	90065	48" LED Marketing Kit, French

### HEADER ONLY

71-3535	90119	36" x 8" Arcon Header, English
71-3536	90120	36" x 8" Arcon Header, French
71-3537	90121	48" x 8" Arcon Header, English
71-3538	90122	48" x 8" Arcon Header, French

### LED Marketing kit includes:

- Poster
- Perforated backer
- Arcon Reference Guide
- Re-Order Part number Tags
- Fasteners (for pegboard)



### Plan-O-Gram order form

Simple order form makes ordering and restocking your display quick and easy.



### Arcon Lighting Cross Reference Guide

Find the Arcon LED bulb number on the chart to review specifications and features, and to compare power usage.