


SNOW & OUTDOOR GOGGLES COLLECTION 2019 2020



N45° 48' 36.211" - E8° 47' 45.392"



Made in Italy

ARIETE OPTICS
TECHNOLOGY



MANUFACTURED IN ITALY  Since 1947

+SEVENTY YEARS OF INNOVATION

 **Kariete**®

UNA STORIA TUTTA ITALIANA

AN ALL ITALIAN HISTORY

*Since it was founded in 1947, **Ariete** has become a leading supplier of rubber and plastic parts for the motorcycle industry. We have gained multiple world championships with our off-road and snowmobile goggles, and now present the new outdoor range for Skiers, Snowboarders and Outdoor athletes.*

Thanks to the quality of the materials used, and our technical capability, these goggles are a market-leading product.

***Ariete Outdoor Goggles Collection** are conceived, engineered, designed and manufactured in Italy with Ariete Optics Technology.*

Ariete: the evolution of Made in Italy experience!

CONTENTS



- 6 RESEARCH & DESIGN
- 7 DEVELOPMENT & PRODUCTION
- 8 A.V.S. ARIETE VENTILATION SYSTEM
- 10 PANORAMA goggles
- 22 MANTIS goggles
- 30 LENSES GUIDE for Mantis goggles
- 32 SNOWY KIDS goggles
- 36 MUDMAX goggles
- 42 ADRENALINE PRIMIS OUTDOOR goggles
- 48 RC OUTDOOR goggles
- 52 SNOWMOBILE goggles
- 56 LENSES GUIDE for Mudmax, Adrenaline, RC goggles
- 59 MERCHANDISING



Evy Poppe – Photo: K. Poppe

CERTIFICATIONS

CERTIFICATIONS

Our Quality is the result of 70 years of work

The quality starts and progresses into a management system that integrates checks on products and processes.

The full control over all the manufacturing steps allows us to fully comply with the Client's requirements, but more importantly, enables us to offer the guarantee of a flawless service, at any moment.

Sandro Mentasti Srl has received the certification issued by the TUV THURINGEN e.V Certification Body, for its own Quality and Safety Management System.



#BEGREEN SOUL

**REUSE
REDUCE
RECYCLE**



#BEGREEN SOUL

Sandro Mentasti Environmental Protection Program. This project, founded in 2007, is born out of the desire to promote and apply a more environmentally friendly business culture based on the compatibility between our industry and environmental protection.

The commitment aims at reducing energy consumption in production, at eliminating toxic materials, and looks at a proper development of research and technological innovation with the goal of respecting the natural environment. All of our products marketed with Ariete, Harri's and ARI brands are the expression of our philosophy of dialogue between ecology and industry. Concrete results have already been achieved in the company's energy saving through ecologically certified electrical transformers, in the management of special waste disposed of in compliance with law by specialized and homologated companies, in the management of recycling, in the drastic reduction in water consumption by means of a closed loop system for the thermo-conditioning of presses and equipment, in the optimization of the heating system of the departments and offices thanks to new thermal condensing boilers with almost zero emissions in the atmosphere, in the considerable saving of paper for internal use (forms, photocopies, e-mail prints, etc.), and the adoption of packaging of ecologically classified products, with catalogs printed strictly on "certified" recycled paper.




RESEARCH & DESIGN



RACE-BASED DEVELOPMENT

Each project is refined and tested by Ariete riders in relevant off-road world championship events. Rider feed-back is agreed and incorporated into the final design before this is submitted to the certifying authority for approval.




FIELD OF VISION

Ariete technicians have developed a frame that allows a wide field of view both laterally and vertically. This feature makes a vital contribution to rider safety. Mudmax, Adrenaline and RC goggles are OTG – over the glasses models.



ERGONOMICS AND AVANT-GARDE DESIGN

The shape of Ariete goggle frames was born from experience under extreme conditions. Ariete technicians have focused on the ergonomics of the frame to ensure that it perfectly fits the rider's face.



HIGH TECHNOLOGY

Ariete goggle frames and ancillary components are made with the best technology available. The quality of the tooling ensures that the finish achieved is exemplary.

DEVELOPMENT & PRODUCTION




FINE MATERIALS

The search for new materials is never-ending. Ariete has for years worked with the world's best-known petro-chemical companies. The materials used are the result of research carried out by these companies, and are the best we can find.



SAFETY

The ARIETE lens will withstand a 6 mm. steel ball hitting it at 135 miles per hour! The anti-fog treatment withstands more than twice the minimum requirement of standard 168: 2001.16




CERTIFICATIONS & MARKING

Ariete goggles and lenses are certified according to European standards EN 1938:2010; they are provided with Anti-fog treatment, which is optional under European standard EN 1938:2010; they pass the "High Mass" and "High velocity" impact tests provided for by American ANSI standard Z87.1-2003; they meet the requirements of American standard VESC-8. The label on the goggles provides the transparency categories of Ariete lenses.

A.V.S. ARIETE VENTILATION SYSTEM

The *Ariete Ventilation System* uses carefully chosen areas for the intake and exhaust of cooling air. Airflow from the goggles, whose upper front profile is specially lowered to aid this process, enters the collecting vents at the front of the helmet, flows across the rider's head, and leaves the back of the helmet in a continuous process.





Cristiano Bordi – Hot Ice Snowboard

PANORAMA



MAIN FEATURES

Frameless goggles: Ultra Lightweight, Tough material for low-temperature flexibility

Lens: Double, Spherical, ventilated lens, Inner anti-fog lens, UV rays total protection, no optical distortion


Foam: 3D Thermo-formed sponge lining for unmatched comfort and feel

1st layer is technical foam with closed cells

2nd layer is super-soft technical foam with open cells

3rd layer is hypo-allergenic pile in contact with the skin

Note: micro-fibre bag included



PANORAMA



GOGGLES & LENSES TECHNOLOGY

Spherical, machined lens
Double, ventilated lens
Inner anti-fog lens
Distortion-free lens
UV rays total protection
Full view

3D Thermo-formed sponge lining for unmatched comfort and feel
1st layer is technical foam with closed cells
2nd layer is super-soft technical foam with open cells
3rd layer is hypo-allergenic pile in contact with the skin

Double buckle to adjust size



Open filters
Top comfort

Frameless goggles
Medium Fitment
Ultra Lightweight

Anti-slip silicone bead

PANORAMA



LENS CAT. 1



14900-BOO



DOUBLE



14900-ALO



DOUBLE



14900-MLO



DOUBLE



14900-BQO



DOUBLE

LENS CAT. 2



PANORAMA



14900-VMV



DOUBLE



14900-BRV



DOUBLE



14900-TGV



DOUBLE



14900-NGV



DOUBLE

PANORAMA



LENS CAT. 2



14900-RRR



DOUBLE



14900-TVV



DOUBLE



14900-TNA



DOUBLE



14900-ALA



DOUBLE



14900-BGA



DOUBLE



14900-TAA



DOUBLE



14900-AMA



DOUBLE



14900-BBA



DOUBLE



14900-NQS



DOUBLE



14900-BBS



DOUBLE



14900-AMS



DOUBLE



14900-BQS



DOUBLE

LENS CAT. 3



PANORAMA



14900-NMS



DOUBLE



14900-PMS



DOUBLE



14900-RMS



DOUBLE



14900-VMS



DOUBLE

PANORAMA



LENS CAT. 3



14900-BRR



DOUBLE



14900-BGR



DOUBLE



14900-NGR



DOUBLE



14900-NQR



DOUBLE

LENS CAT. 3



PANORAMA



14900-MLR



DOUBLE



14900-NMR



DOUBLE



14900-PMR



DOUBLE




14900-RMR



DOUBLE

MANTIS |






| MANTIS



MANTIS



MAIN FEATURES

Frame: Tough PUR frame for low-temperature flexibility, anti-UV lacquer, QD claws for head-band attachment

Lens: double, spherical, ventilated, inner anti-fog lens, UV-A, UV-B, UV-C 100% radiation protection, removable filters for cleaning purposes, no optical distortion

Foam: 3D, two-layer face foam specification:

- 1 layer of super-soft foam, medium density


- 1 layer of black hypo-allergenic pile in contact with the skin

Note: micro-fibre bag for lens cleaning with inner pocket to protect spare lens



 PU + PA	 A.V.S. Ariete Ventilation System	 UV FILTERS	 ANTI_FOG	 VENTILATED LENS	 FOAM LAYERS 2
 SILICONE	 DOUBLE BUCKLE	 3D FOAM	 MICROFIBER BAG	INCLUDED	

 SKI	 SNOWBOARD	 CLIMBING	 WINTER TREKKING	 GRAVITY	 MOUNTAIN BIKE
 WATERCRAFT	 SNOWKITE	 SKYDIVING			



Spherical, injected lens
Double, ventilated lens
Inner anti-fog lens
Distortion-free lens
UV rays total protection
Removable filters for cleaning purposes

Tough PUR frame for low-temperature flexibility
Anti-UV lacquer
Outriggers for head-band attachment

Double buckle to adjust size
Anti-slip silicone bead



3D thermoformed nose area
Unmatched comfort
Open filters

3D thermoformed sponge lining
two-layer face foam specification:
1st layer of super-soft foam, medium density
2nd layer of hypo-allergenic pile in contact with the skin


MANTIS



LENS CAT. 0 - LENS CAT. 1



13940-RBT



DOUBLE



13940-BCTC



DOUBLE



13940-BNO



DOUBLE




13940-NBO



DOUBLE

LENS CAT. 2



MANTIS



13940-AOA



DOUBLE



13940-BRA



DOUBLE



13940-MBBA



DOUBLE



13940-NAA



DOUBLE

MANTIS



LENS CAT. 3



13940-NRS



DOUBLE



13940-NGS



DOUBLE



13940-NNS



DOUBLE




13940-NYS



DOUBLE

LENS CAT. 3



MANTIS



13940-BCSC



DOUBLE



13940-BGS



DOUBLE



13940-BAS



DOUBLE



13940-MBBS



DOUBLE

MANTIS



LENS CAT. 3



13940-NOR



DOUBLE



13940-BWR



DOUBLE



13940-BBR



DOUBLE




13940-NNR



DOUBLE

LENS CAT. 3



MANTIS



1394-RBR



DOUBLE



1394-AOR



DOUBLE



1394-BNR



DOUBLE



1394-RRR



DOUBLE

MANTIS



LENSES



CAT. 0



CAT. 1




CAT. 2




CAT. 3




13941-T
CLEAR AIR




13941-AR
LIGHT CORAL




13941-SMLA
MULTI-LAYER BLUE




13941-SMLR
MULTI-LAYER-RED




13941-G
YELLOW DESERT



13941-SSP
SILVER CHROME





| MANTIS



SNOWY kids |

CARATTERISTICHE

Telaio: materiale poliuretano flessibile anche a basse temperature, modello adatto ai caschi Junior

Lente: singola con trattamento anti-appannamento, protezione totale ai raggi UV, nessuna distorsione ottica

Spugna: guarnizione a 2 strati composta da

-1 strato di spugna tecnica super soft a cellule aperte

-1 strato di pile ipoallergenico a contatto con la pelle

Elastico: Elastico con 1 linea di silicone antiscivolo, doppia fibbia per regolazione

MAIN FEATURES

Frame: Tough PUR frame for low-temperature flexibility, suitable for Kid helmets

Lens: Single lens, Anti-fog coating, UV rays total protection, no optical distortion

Foam: two-layer face foam specification

1st layer is super-soft technical foam with open cells

2nd layer is hypo-allergenic pile in contact with the skin

Elastic Strap: Anti-slip silicone bead, Double buckle





14930-NAR



SINGLE



14930-NOO



SINGLE



14930-ROG



SINGLE



14930-RAV



SINGLE



14930-BOU



SINGLE



14930-BAU



SINGLE

MUDMAX |





MUDMAX



MUDMAX



MAIN FEATURES

Frame: Medium Fit, Tough PUR frame for low-temperature flexibility, Anti - UV colours, Comfortably Fits Glasses (O.T.G.), Compatible with BIG/XL Roll-Off Kit cod. 12962-RCRO

Lens: No optical distortion, Best anti-fog treatment, UV radiations total protection

Ventilation System: A.V.S. Ariete Ventilation System, Extra Ventilation, Open filters

Foam: Three-layer face foam specification composed of :

- layer is technical foam with closed cells
- layer is super-soft technical foam with open cells
- layer of red hypo-allergenic CARBON X in contact with the skin

Elastic Strap: 45 mm height elastic strap with anti-slip silicone dots that increase the grip to 360°, Pin to suit tear-off cod.12964-MMLE, Double buckle for quick adjustment



 A.V.S. Ariete Ventilation System	 O.T.G. Over The Glasse	 UV FILTERS	 ANTI_FOG	 PU + PA	 LENS FOR XL/BIG ROLL_OFF	 LENS FOR TEAR_OFF 12964-MMLE
 OPEN FILTERS	 FOAM LAYERS 3	 DOUBLE BUCKLE	 SILICONE	 CARBON X	 ANTI_SCRATCH	 CE
ADDITIONAL LENS INCLUDED						
 MICROFIBRE BAG INCLUDED						

 SKI	 SNOWBOARD	 CLIMBING	 WINTER TREKKING	 GRAVITY	 MOUNTAIN BIKE
 WATERCRAFT	 SNOWKITE	 SKYDIVING			



MUDMAX

GOGGLES & LENSES TECHNOLOGY

No optical distortion
Best anti-fog treatment
UV radiations total protection

Medium Fit
Comfortably Fits Glasses (O.T.G.)
Tough PUR frame for low-temperature flexibility

45 mm height elastic strap
Anti-slip silicone dots
Double buckle for quick adjustment



Extra Ventilation
Open filters

Three-layer face foam specification composed of :
1st layer is technical foam with closed cells
2nd layer is super-soft technical foam with open cells
3rd layer of red hypo-allergenic CARBON X in contact with the skin

Included accessories:

- Lexan® Clear Lens cod.12961-RCCH equipped with clips for roll-off installation cod.12962-RCRO and tear-off cod.12964-MMLE
- Microfibre bag with internal pocket for a spare lens

MUDMAX



LENS CAT. 0



14940-BSB



SINGLE




14940-BDV



DOUBLE



14940-NSN



SINGLE




14940-NDV



DOUBLE

LENS CAT. 2



MUDMAX



14940-BSG



SINGLE



14940-BAA



SINGLE



14940-BRR



SINGLE



14940-BVN



SINGLE

MUDMAX



LENS CAT. 2



14940-NSG



SINGLE



14940-NRR



SINGLE



14940-NAA



SINGLE



14940-NVN



SINGLE

ADRENALINE

ADRENALINE PRIMIS


MAIN FEATURES











Frame: tough PUR frame for low-temperature flexibility, anti - UV colours, over the glasses model (OTG), AVS Ariete Ventilation System

Lens: lens in Lexan®, anti-fog treatment, UV-A, UV-B, UV-C 100% radiation protection, no optical distortion


Foam: super-soft technical foam with open cells, hypo-allergenic foam in contact with the skin

Strap: elastic strap with 1 anti-slip silicone bead, provided with pin to suit tear-off use, double buckle to adjust size



 PU	 A.V.S. Ariete Ventilation System	 ANTI_FOG	 UV FILTERS	 OPEN FILTERS	 FOAM LAYERS 1
 O.T.G. Over The Glasses	 SILICONE	 DOUBLE BUCKLE	 CE		

 SKI	 SNOWBOARD	 CLIMBING	 WINTER TREKKING	 GRAVITY	 MOUNTAIN BIKE
 WATERCRAFT	 SNOWKITE	 SKYDIVING			



ADRENALINE PRIMIS



No optical distortion
Best anti-fog treatment
UV radiations total protection


Medium Fit
Comfortably Fits Glasses (O.T.G.)
Tough PUR frame for low-temperature flexibility

Anti - UV colours
CE approved

Extra Ventilation
Open filters

Anti-slip silicone dots
Double buckle for quick adjustment


ADRENALINE PRIMIS



LENS CAT. 1



14001-OPN



SINGLE



14001-OPB



SINGLE



14001-OPA



SINGLE




14001-OPR



SINGLE

LENS CAT. 1



ADRENALINE PRIMIS



14001-PPA



SINGLE



14001-PPO



SINGLE



14001-PPP



SINGLE



14001-PPB




SINGLE

RC FLOW




Nicola Piscaglia - Photo: Eilahtan Renrok



| RC FLOW



RC FLOW



MAIN FEATURES


Frame: tough PUR frame for low-temperature flexibility, anti - UV colors, logo in lacquered metal, QD claws for head-band attachment, Over the glasses model (OTG), AVS Ariete Ventilation System

Lens: double, cylindrical, ventilated lens in Lexan®, anti-fog and anti-scratch treatment, UV-A, UV-B, UV-C 100% radiation protection, no optical distortion

Foam: 3D thermo-formed sponge lining for unmatched comfort and feel, two-layer face foam specification:

- 1 super-soft technical foam layer with open cells
- 1 layer of black hypo-allergenic pile in contact with the skin

Strap: elastic strap with 1 anti-slip silicone bead, QD pin allows headband to be removed and cleaned, double buckle





RC FLOW

*Lexan® double, cylindrical, ventilated clear lens
No optical distortion
UV radiations total protection*

*Medium/Large Fit
Comfortably Fits Glasses (O.T.G.)
Tough PUR frame for low-temperature flexibility*




*Best anti-fog treatment
Anti-scratch treatment*

*Anti-slip silicone bead
Double buckle for quick adjustment*

*3D thermoformed foam, 2 layer face foam specification composed of:
1 super-soft technical foam layer with open cells
1 hypo-allergenic foam layer in contact with the skin*

RC FLOW



LENS CAT. 0



13950-ABN



13950-VNB



13950-AGA



13950-BBR







SNOWMOBILE



SNOWMOBILE



MAIN FEATURES

Frame: tough PUR frame for low-temperature flexibility, anti - UV lacquer, Over the glasses model (OTG), AVS Ariete Ventilation System

Lens: double, thermoformed, cylindrical, ventilated lens, external layer in polycarbonate, internal layer in anti-fog resin, removable filters for cleaning purposes, UV-A, UV-B, UV-C 100% radiation protection, no optical distortion



Foam: super-soft technical foam, hypo-allergenic layer in contact with the skin, extra-thick foam, closed filters

Strap: with 1 anti-slip silicone bead, double buckle



Spugna maggiorata
Extra-thick foam





SNOWMOBILE

Medium/Large Fitment
O.T.G. (Over The Glasses) Design
Compatible with BIG/XL Roll-Off Kit
Tough PUR frame for low-temperature flexibility
Anti-UV lacquered frame

Sponge lining for unmatched comfort and feel
Hypo-allergenic foam in contact with the skin
Extra-thick foam




Anti-slip silicone bead
Pin to suit tear-off use
Double buckle


A.V.S. Ariete Ventilation System
Extra Ventilation
Closed filters

Double, cylindrical, ventilated lens
Distortion-free lens
Anti-fog inner lens
UV rays total protection
Removable filters for cleaning purposes


SNOWMOBILE |




14001-MBNG - ADRENALINE




14001-MB19 - ADRENALINE



14001-MBRA - ADRENALINE






SNOWMOBILE



13950-MMBC - RIDING CROWS




13950-MMOA - RIDING CROWS



13950-MMNO - RIDING CROWS





13950-MTNR - RIDING CROWS
















13950-MTNS - RIDING CROWS



























LENSES GUIDE









































































	Mudmax  LENS FOR TEAR_OFF	Adrenaline/RC  LENS FOR TEAR_OFF	 LENS FOR BIG/XL ROLL_OFF	 SINGLE	 DOUBLE	 100% UV FILTERS	 NO FOG	 ANTI_SCRATCH	 VENTILATED	 One Size Fits All ARIETE FRAMES	 MULTILAYERS TREATMENT	 MIRRORED	 EUROPEAN CONFORMITY
--	--	--	---	---	---	--	---	---	---	--	--	---	--

CAT. 0





























































































CLEAR AIR 12961-RCCH		STANDARD TEAR-OFFS 12964 MMLE	STANDARD TEAR-OFFS 12964-RCLE TEAR-OFFS FOR ROLL-OFF 12964-RCRO										
CLEAR AIR 12961-SCCH													
CLEAR AIR 12961-DCV													

CAT. 1

PLUS 12961-RCPL		STANDARD TEAR-OFFS 12964 MMLE	STANDARD TEAR-OFFS 12964-RCLE TEAR-OFFS FOR ROLL-OFF 12964-RCRO										
PLUS 12961-SCPL													
YELLOW DESERT 12961-RCG		STANDARD TEAR-OFFS 12964 MMLE	STANDARD TEAR-OFFS 12964-RCLE TEAR-OFFS FOR ROLL-OFF 12964-RCRO										
YELLOW DESERT 12961-DCGV													
LIGHT CORAL 12961-RCAR		STANDARD TEAR-OFFS 12964 MMLE	STANDARD TEAR-OFFS 12964-RCLE TEAR-OFFS FOR ROLL-OFF 12964-RCRO										
LIGHT CORAL 12961-SCAR													
LIGHT CORAL 12961-DCOV													
BLUE CREEK 12961-RCFA		STANDARD TEAR-OFFS 12964 MMLE	STANDARD TEAR-OFFS 12964-RCLE TEAR-OFFS FOR ROLL-OFF 12964-RCRO										
BLUE CREEK 12961-SCFA													
BLUE CREEK 12961-DCFA													



LENSES GUIDE


		Mudmax  LENS FOR TEAR_OFF	Adrenaline/RC  LENS FOR TEAR_OFF	 LENS FOR BIG/XL ROLL_OFF	 SINGLE	 DOUBLE	 100% UV FILTERS	 NO FOG	 ANTI_SCRATCH	 VENTILATED	 One Size Fits All ARIETE FRAMES	 MULTILAYERS TREATMENT	 MIRRORED	 EUROPEAN CONFORMITY
CAT. 2 	SILVER CHROME 12961-RCSP 	STANDARD TEAR-OFFS 12964 MMLE	STANDARD TEAR-OFFS 12964-RCLE TEAR-OFFS FOR ROLL-OFF 12964-RCRO											
	SILVER CHROME 12961-SCSC 													
	SILVER CHROME 12961-DCSV 													
	MULTI LAYER RED 12961-MLR 													
	MULTI LAYER RED 12961-RMRC 	STANDARD TEAR-OFFS 12964 MMLE	STANDARD TEAR-OFFS 12964-RCLE TEAR-OFFS FOR ROLL-OFF 12964-RCRO											
	MULTI LAYER BLUE 12961-MLA 													
	MULTI LAYER BLUE 12961-RMAC 	STANDARD TEAR-OFFS 12964 MMLE	STANDARD TEAR-OFFS 12964-RCLE TEAR-OFFS FOR ROLL-OFF 12964-RCRO											
	MULTI LAYER GREEN 12961-MLV 													
	MULTI LAYER GREEN 12961-RMVC 	STANDARD TEAR-OFFS 12964 MMLE	STANDARD TEAR-OFFS 12964-RCLE TEAR-OFFS FOR ROLL-OFF 12964-RCRO											
	CAT. 3 	SILVER CHROME 12961-SCST 												
SILVER CHROME 12961-DCST 														
MULTI LAYER 12961-DMLR 														

MERCHANDISING



SSS Lugano – Photo: F. Pellanda

MERCHANDISING



MERCHANDISING



MERCHANDISING



FRONT

FEATHER

BACK



OFFICIAL-BLUE



OFFICIAL



ITALIA



HERITAGE

Original Vintage T-shirt

FEATHER

14901-FS	size S
14901-FM	size M
14901-FL	size L
14901-FXL	size XL

ITALIA

14903-IS	size S
14903-IM	size M
14903-IL	size L
14903-IXL	size XL

OFFICIAL-BLUE

14902-OAS	size S
14902-OAM	size M
14902-OAL	size L
14902-OAXL	size XL

HERITAGE Original Vintage T-shirt

14905-HES	size S
14905-HEM	size M
14905-HEL	size L
14905-HEXL	size XL

OFFICIAL

14902-OS	size S
14902-OM	size M
14902-OL	size L
14902-OXL	size XL