

PORTABLE SECURITY





COMMERCIAL PORTABLE SECURITY CATALOG CONTENTS

As a trusted brand in security products, the Brinks name is synonymous with 'peace of mind', strength, trust, safety, and quality. Our products deliver reliable performance, durability, provide superior cut resistance, and are built to meet the needs of tradesmen and professionals in the field.

Our products use robust materials such as BORON Carbide Steel shackles, lock bodies made of Solid Brass, Solid Stainless Steel, Heavy Duty Laminated Steel plates, and feature pick resistant cylinders. Each Brink's Commercial padlock is designed to exceed rigorous ASTM testing standards, and uses the highest quality materials to provide you with years of worry free use.

CONTENTS:

LAMINATED STEEL BRASS RESETTABLE BRASS LAMINATED STEEL XT SERIES WEATHER RESISTANT LAMINATED STEEL RESETTABLE WEATHER RESISTANT STAINLESS STEEL DISCUS SOLID BODY STAINLESS STEEL SOLID BODY STEEL CABLES . KEYED LOCKING . LOOPED ENDS HASPS BULK PACKS





COMMERCIAL LAMINATED STEEL

The Brinks Commercial grade padlock is a 50mm (2-inch) wide lock body, with steel laminates. Included with this rugged padlock is a full body, soft touch, TPE elastomeric jacket that helps reduce scratching or your property while also protecting the lock itself from the elements. This product also features a superior cut resistant matte finish BORON steel shackle, double stainless steel locking balls, and a 5-pin, pick resistant cylinder.

| C | |
|---|------|
| | Þ |
| | NKS: |

| Pack | Item Number | mber Description | | UPC Code | Cut | Puli | К | EY BLAN | ٢S |
|--------|-------------|--|----------|--------------|------------|-----------|-----|---------|------|
| Fack | | Description | Pack QTY | OFC COUR | Strength | Strength | KB | Axxess | ILCO |
| 1 pack | 672-50001-4 | 50MM COMM LAMINATED STEEL, BORON SHKL | 4 | 039208984942 | 10000 lbs. | 5000 lbs. | M10 | 93 | 1092 |
| 2 pack | 672-50201-4 | 50MM COMM LAMINATED STEEL, BORON SHKL, 2PK | 4 | 039208985468 | 10000 lbs. | 5000 lbs. | M10 | 93 | 1092 |
| 4 pack | 672-50401-4 | 50MM COMM LAMINATED STEEL, BORON SHKL, 4PK | 4 | 039208984980 | 10000 lbs. | 5000 lbs. | M10 | 93 | 1092 |



| Pack | Item Number | Description | Case | UPC Code | Cut | Pull | KEY BLANKS | | | | |
|--------|-------------|--|----------|--------------|------------|-----------|------------|--------|------|--|--|
| Iaun | | Description | Pack QTY | 0100000 | Strength | Strength | KB | Axxess | ILC0 | | |
| 1 pack | 672-52001-4 | 50MM COMM LAMINATED STEEL, 2" BORON SHKL | 4 | 039208985000 | 11000 lbs. | 5000 lbs. | M10 | 93 | 1092 | | |
| 2 pack | 672-52201-4 | 50MM COMM LAMINATED STEEL, 2" BORON SHKL, 2PK | 4 | 039208988650 | 11000 lbs. | 5000 lbs. | M10 | 93 | 1092 | | |
| 4 pack | 672-52401-4 | 50MM COMM LAMINATED STEEL, 2" BORON SHKL, 4PK | 4 | 039208985024 | 11000 lbs. | 5000 lbs. | M10 | 93 | 1092 | | |



| Pack Item Number | | Description | Case | UPC Code | Cut | Pull | KEY BLANKS | | | |
|------------------|-------------|---------------------------------------|----------|--------------|------------|-----------|------------|--------|------|--|
| Iduk | | | Pack QTY | 0100000 | Strength | Strength | KB | Axxess | ILC0 | |
| 1 pack | 672-60001-4 | 60MM COMM LAMINATED STEEL, BORON SHKL | 4 | 039208985048 | 17000 lbs. | 8000 lbs. | M10 | 93 | 1092 | |



COMMERCIAL BRASS

IBRI

Brinks Commercial brass padlocks feature solid brass lock bodies which resist corrosion due to the elements, making them perfect for outdoor use. Our solid brass products offer you a variety of items, including traditional full size keyed padlocks, a resettable model that allows you to select your own personal combination, or a versatile adjustable shackle model where longer shackle lengths are required. These locks feature a resettable dial combination so you can easily reset and select your own personal/secure combination.



| WEATHER | |
|-----------|--|
| RESISTANT | |

| Pack | Item Number | Description | Case Pack QTY | UPC Code | Cut Strength | Pull Strength | K KB | EY BLANI Axxess | ks IL |
|--------|-------------|---|------------------|--------------|-----------------|------------------|---------|--------------------|-----------|
| 1 pack | 671-49002-4 | 50MM BRASS RESETTABLE COMBO 2-3/8" BORON SHKL | 4 | 039208984928 | 7000 lbs. | 1000 lbs. | N/A | N/A | N |
| 2 pack | 671-49202-4 | 50MM BRASS RESETTABLE COMBO 2-3/8" BORON SHKL, 2PK | 4 | 039208984935 | 7000 lbs. | 1000 lbs. | N/A | N/A | N/ |
| Pack | Item Number | Description | Case Pack QTY | UPC Code | Cut Strength | Pull Strength | K KB | EY BLANI Axxess | KS ILC |
| 1 pack | 671-50001-4 | 50MM COMMERCIAL BRASS SOLID BODY | 4 | 039208988643 | 7000 lbs. | 1000 lbs. | VR2 | 104 | VRS |
| Pack | Item Number | Description | Case Pack QTY | UPC Code | Cut Strength | Pull Strength | K KB | EY BLANI Axxess | KS ILC |
| 1 pack | 671-50061-4 | 50MM COMMERCIAL BRASS SOLID BODY, ADJ SHKL | 4 | 039208988667 | 8700 lbs. | 2100 lbs. | VR7 | None | VR9 |



COMMERCIAL LAMINATED STEEL XT SERIES

Brinks XT Commercial grade padlocks feature a rugged and tough laminated steel lock body. This series of padlocks feature a consumer preferred powder coated finish designed to withstand all extreme weather conditions that subject normal padlocks to rust and corrosion. This product also features a highly cut resistant BORON shackle, stainless steel locking bars, and pick resistant cylinder.

677-52201-4

2 pack

50MM XT COMMERCIAL, 2" BORON SHKL, 2PK



M10

69

5700 lbs.

1092

В

| | \bigcirc | Pack Item Number Des | cription | | Case | ., UPC Code | Cut | Pull | K | EY BLANK | s |
|--------|-------------|-------------------------------------|---------------------------|--------------|-----------------|-----------------------|-----------------|------------------|----------|--------------------|------------|
| | | Fack Item Number Desi | сприон | | Pack QT | Y | Strength | Strength | KB | Axxess | ILC0 |
| | | 1 pack 677-44101-4 44MI | M XT COMMERCIAL, 1-1/2" B | ORON SHKL | 4 | 039208218573 | 7000 lbs. | 5100 lbs. | M1 | 69 | 1092 |
| | BRINKS | | | | | | | | | | |
| Pack | Item Number | Description | Case | UPC Code | Cut | | KEY BLANK | | 1 | | |
| | | | Pack QTY | | Strength | Strength KB | Axxess | ILCO | | | |
| 1 pack | 677-44102-4 | 44MM XT COMMERCIAL, 2-3/8" BORON SH | IKL 4 | 039208218580 | 9700 lbs. | 5200 lbs. M1 | 69 | 1092 | | | |
| 2 pack | 677-44202-4 | 44MM XT COMMERCIAL, 2-3/8" BORON SH | IKL, 2PK 4 | 039208218597 | 9700 lbs. | 5200 lbs. M1 | 69 | 1092 | | | |
| 3 pack | 677-44302-4 | 44MM XT COMMERCIAL, 2-3/8" BORON SH | IKL, 3PK 4 | 039208219495 | 9700 lbs. | 5200 lbs. M1 | 69 | 1092 | | B | |
| | | Pack Item Number Dese | cription | | Case Pack QT | Y UPC Code | Cut Strength | Pull Strength | KI KB | EY BLANK Access | (S Ilco |
| | | 1 pack 677-50001-4 50MI | M XT COMMERCIAL BORON S | HKL | 4 | 039208218603 | 11000 lbs. | 4700 lbs. | M10 | 69 | 1092 |
| | BRINKS | | | | | | | | ſ | | |
| Pack | Item Number | Description | Case Pack QTY | UPC Code | Cut Strength | Pull I Strength KB | KEY BLANKS | S ILCO | | | |

039208218627

12000 lbs.



COMMERCIAL LAMINATED STEEL WEATHER RESISTANT

The Brinks Commercial grade padlock is a 50mm (2-inch) wide lock body, with steel laminates. A full body, soft touch TPE elastomeric bumper enhances the additional weather resistant lock body cover to provide superior protection against the elements. A sliding keyway cover works to restrict dirt and road grime from getting into the lock's cylinder ensuring long lasting performance. This is one of our must rugged, outdoor, weather-resistant padlocks. The lock also features a superior cut resistant, matte finish BORON steel shackle, double stainless steel locking balls, and a 5-pin, pick resistant cylinder.



| | | Pack | Item Number | Description | | | Case Pack Q1 | Y UPC Co | de | Cut Strength | Pull Strength | К КВ | EY BLANK Access | KS ILCO |
|--------|-------------|----------------|------------------|-------------------|------------------|--------------|-----------------|------------------|----------|---------------------|------------------|---------|--------------------|------------|
| | | 1 pack | 677-44052-4 | XT PLUS WR 44MM V | N/ 2-3/8" BO | RON SHKL | 4 | 039208 | 222716 | 9700 lbs. | 5200 lbs. | M10 | 93 | 1092 |
| | B | | | | | | | | | | | / | | |
| Pack | Item Number | Description | - | - | Case Pack QTY | UPC Code | Cut Strength | Pull Strength | КІ КВ | EY BLANKS Access | S ILCO | | | |
| 1 pack | 677-52051-4 | XT PLUS WR 50M | M W/ 2" BORON SH | KL | 4 | 039208222730 | 12000 lbs. | 5700 lbs. | M10 | 93 | 1092 | | BRINKS | |



COMMERCIAL WEATHER RESISTANT RESETTABLE

The Brinks Marine Lock is the ultimate lock for use in damp marine environments where corrosive salt air is present. The fully encased, soft touch elastomeric housing provides superior weather resistance, while also protecting your valuables from scratching. This 50mm (2-inch) zinc die cast lock body features an easy-to-use, 4-dial combination so you can select your own personalized combination. Easy to reset! Both the dials and the reset switch are located behind zinc covers for added protection from dirt and the elements. This product is ideal for all types of boat docks, trailers, and anywhere that salt air would corrode traditional steel locks.



| Pack | Item Number | Description | Case Pack QTY | UPC Code | Cut Strength | Pull Strength | K KB | EY BLANI Axxess | KS Ilco | |
|--------|-------------|---|------------------|--------------|-----------------|------------------|---------|--------------------|------------|---|
| 1 pack | 673-80001-4 | 4-DIAL RESET COMBO MARINE SS | 4 | 039208985086 | 7200 lbs. | 1100 lbs. | M1 | 69 | 1092 | |
| | | - And | | _ | | | | | | 1 |
| | | | M | in . | | | | | | |
| | | | Q | 200 | 3 | - | - | - | | |
| | | n | | | ļ | | | | | |
| | | F | | | | | | | | |
| | 2 | | | | | | | | | |



COMMERCIAL STAINLESS STEEL DISCUS

The Brinks shielded discus locks are constructed with a stainless steel body that resists corrosion. The STAINLESS STEEL shackle provides additional security through superior cut resistance. Our discus padlocks also feature a full radius rubber bumper that helps prevent scratches and dings on trucks, tool boxes, and other surface areas. The lock features a 4-pin cylinder which increases pick resistance. This product is ideal for all types of storage lockers or sheds, truck work boxes, and remote site storage.



| Pack | Item Number | Description | Case Pack QTY | UPC Code | Cut Strength | Pull Strength | КВ | EY BLAN | KS I |
|--------|-------------|---|------------------|--------------|-----------------|------------------|----|---------|---------|
| 1 pack | 673-70001-4 | 70MM COMMERCIAL DISCUS W/Stainless Steel | 4 | 039208985055 | 8100 lbs. | | M1 | 69 | |
| 2 pack | 673-70201-4 | 70MM COMMERCIAL DISCUS W/Stainless Steel, 2PK | 4 | 039208985079 | 8100 lbs. | | M1 | 69 | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | Case | | Cut | Pull | к | | K |
| Pack | Item Number | Description | Pack QTY | UPC Code | Strength | Strength | КВ | Axxess | |
| | 673-80002-4 | 80MM COMMERCIAL DISCUS W/Stainless Steel | 4 | 039208988636 | 13000 lbs. | | M1 | 69 | |
| 1 pack | 075-00002-4 | | | | | | | | |



COMMERCIAL STAINLESS STEEL LAMINATED

The Brinks Commercial Stainless Steel Laminated padlock is ideal for use in appliations where moisture and corrosion would be an issue for standard laminated steel padlocks. These locks feature 100% stainless steel laminates along with a rugged stainless steel shackle and stainless steel locking bars that make this lock well suited to any outdoor location. The bumpers on the top and bottom of the lock body provide protection against denting or scratching of your valuables.





| Pack | Item Number | Description | Case | UPC Code | Cut | Pull | KEY BLANKS | | | |
|--------|-------------|--|----------|--------------|-----------|-----------|------------|--------|------|--|
| Tack | | Description | Pack QTY | UI U UUUE | Strength | Strength | KB | Access | ILC0 | |
| 1 pack | 677-44811-4 | 44MM STAINLESS STEEL LAMINATED W/ 2" STAINLESS STEEL SHACKLE | 4 | 039208222723 | 5200 lbs. | 1900 lbs. | M1 | 69 | 1092 | |
| 2 pack | 677-44812-4 | 44MM STAINLESS STEEL LAMINATED W/ 2" STAINLESS STEEL SHACKLE, 2PK | 4 | 039208222839 | 5200 lbs. | 1900 lbs. | M1 | 69 | 1092 | |



| Pack | Item Number | Description | Case | UPC Code | Cut | Pull | KEY BLANKS | | |
|--------|-------------|--|----------|--------------|-----------|-----------|------------|--------|------|
| Fack | | | Pack QTY | | Strength | Strength | KB | Access | ILCO |
| 1 pack | 677-52811-4 | 50MM STAINLESS STEEL LAMINATED W/ 2" STAINLESS STEEL SHACKLE | 4 | 039208222747 | 8400 lbs. | 1900 lbs. | M1 | 69 | 1092 |
| 4 pack | 677-52814-4 | 50MM STAINLESS STEEL LAMINATED W/ 2" STAINLESS STEEL SHACKLE, 4PK | 4 | 039208222846 | 8400 lbs. | 1900 lbs. | M1 | 69 | 1092 |



COMMERCIAL SOLID BODY STAINLESS STEEL

The Brinks Commercial Solid Body Stainless Steel padlock is the ultimate padlock for outdoor use in extreme environments, especially in areas where moisture can cause corrosion on traditional padlocks. These locks are 100% stainless steel, including the solid lock body, 1-inch shackle, inner springs, and cylinder housing. This product is ideal for use in any location where salt, dirt, grime, water, or other contaminants would corrode other materials. Works great on trailer or on-site storage facilities that are routinely subjected to the elements.



| Pack | Item Number | Description | Case | UPC Code | Cut | Pull | KEY BLANKS | | |
|--------|-------------|--|----------|--------------|-----------|-----------|------------|----------|------|
| TAUK | | Description | Pack QTY | OI O OOUE | Strength | Strength | KB | Axxess | ILCO |
| 1 pack | 672-40811-4 | 37MM SOLID BODY STAINLESS STEEL, STAINLESS SHKL | 4 | 039208217415 | 4300 lbs. | 1600 lbs. | M1 | 69 | 1092 |
| Pack | Item Number | Description | Case | UPC Code | Cut | Pull | к | EY BLANK | s |
| | | Description | Pack QTY | UFG GOUE | Strength | Strength | KB | Axxess | ILCO |
| | | 50MM SOLID BODY STAINLESS STEEL, STAINLESS | 4 | 039208271722 | 8400 lbs. | 2400 lbs. | M1 | 69 | 1092 |




COMMERCIAL SOLID BODY STEEL

The Brinks 63.5mm Solid Body Steel Commercial grade padlock features a rugged solid steel lock body and 7/16 diameter bright chrome-plated BORON steel shackle that provides additional security through superior cut resistance. This padlock has a removable brass pin tumbler cylinder and double-steel ball bearing locking mechanism to increase pick resistance.









COMMERCIAL CABLE KEYED LOCKING

Brinks Commercial flexible braided steel cable has a heavy duty vinyl protective wrap to prevent scratching and corrosion. This cable is 5/8 inch in diameter and 6 feet in length, making it ideal for locking job boxes, outdoor furniture, expensive grills, or other valuables left unattended outdoors. The cable also includes a unique reflective stripe for increased visibility at night or in darker conditions.



| Pack | Item Number | Description | Case Pack QTY | UPC Code | Cut Strength | Pull Strength | K KB | EY BLAN Axxess | ks Ilco |
|--------|-------------|---|------------------|--------------|-----------------|------------------|---------|-------------------|------------|
| 1 pack | 675-65801-3 | 5/8" X 6' COMM BRAIDED CABLE, M1 KEYWAY | 3 | 039208220057 | 5000 lbs. | | M1 | 69 | 1092 |
| | | | | Į: | | | - | | X |
| | | | | | R | 0 | Ţ | - | |
| | | | | | 17 | 1 | | | |
| | | | | 20 | | F. | | 5 | |
| | | - 0 | (inse | | K | L | 1 | 1 | X |
| | | | | 1 - | | | 1 | 13 | 1 |



COMMERCIAL CABLE LOOPED ENDS

Brinks Commercial flexible braided steel cable with a heavy duty vinyl protective wrap to prevent scratching and corrosion. This cable is 5/8 inch in diameter and 7 feet in length, featuring loop ends, that when used with one of our long shackle padlocks, provides versatility securing things like motorcycles, ATV's, jet skis, or other valuables on trailers.



| | Pack | Item Number | Description | Case Pack QTY | UPC Code | Cut | Pull | | (S | |
|-----------|--------|-------------|--|------------------|--------------|-----------|----------|-----|--------|-------|
| | | | | | | Strength | Strength | KB | Axxess | ILCO |
| \supset | т раск | 675-62701-3 | 5/8" X 7' COMMERCIAL BRAIDED CABLE, LOOPED END | 3 | 039208985796 | 5000 lbs. | | N/A | N/A | N/A |
| | | | 0 | | R | | | | | 6 |
| | | | | e e | | | e e | | | IK IK |



COMMERCIAL HASPS

Brinks Commercial Hasps feature sturdy steel construction for superior corrosion resistance. Fastening screws are included for your convenience.



•••

| Pack | Item Number | Number Description | Case | UPC Code | Cut | Pull | KEY BLANKS | | | |
|--------|-------------|--|----------|--------------|----------|----------|------------|----------|------|--|
| | nem number | | Pack QTY | | Strength | Strength | КВ | Axxess | ILCO | |
| 1 pack | 672-74232-2 | COMMERCIAL COMBO PUCK LOCK W/ ROUND HASP | 2 | 039208985062 | | | A1045 | N/A | N/A | |
| Doold | Itom Number | Description | Case | UPC Code | Cut | Pull | ĸ | EY BLANI | ĸs | |
| Pack | Item Number | Description | Pack QTY | UPG GOUE | Strength | Strength | КВ | Axxess | ILCO | |
| 1 pack | 675-84501-4 | COMMERCIAL 4.5" STEEL HASP | 4 | 039208985093 | | | N/A | N/A | N/A | |
| Pack | Item Number | Description | Case | UPC Code | Cut | Pull | к | EY BLANI | ĸs | |
| Tuon | | | Pack QTY | | Strength | Strength | КВ | Axxess | ILCO | |
| 1 pack | 675-87752-4 | Commercial 7.75" Double Hinge Hasp | 4 | 039208985109 | | | N/A | N/A | N/A | |



COMMERCIAL BULK PACKS

Brinks bulk pack padlocks provide value and versatility for a variety of usage occasions. Each bulk pack features all padlocks keyed alike for convenience, and includes heavy duty padlocks for use in commercial buildings, factories, schools, or other commercial applications where utilizing the same key is required. Each lock offers superior cut resistance and pry resistant performance.



| \frown | Pack | Item Number | Description | Case | UPC Code | Cut | Pull | к | EY BLAN | ĸs |
|------------|------------|--------------|--|------------------|--------------|-----------------------|-----------------------|-----------------|--------------------|---------------------|
| | 24 pack | 172-44002B | 44MM LAMINATED STEEL, 2-3/8" SHKL, 24 KEYED ALIKE | Pack QTY | 039208985062 | Strength 3600 lbs. | Strength 1300 lbs. | КВ М1 | Axxess 69 | ILCO 1092 |
| IIIBRINKS. | | | | | | | | | | |
| | Pack | Item Number | Description | Case Pack QTY | UPC Code | Cut Strength | Pull Strength | К КВ | EY BLANI Axxess | KS ILCO |
| | 4 pack | 673-70401-2 | 70MM DISCUS W/Stainless Steel, 4 PK | 2 | 039208985093 | 8100 lbs. | | M1 | 69 | 1092 |
| \bigcirc | Pack | Item Number | Description | Case Pack QTY | UPC Code | Cut Strength | Pull Strength | K KB | EY BLANI Axxess | KS ILCO |
| | 6 pack | 672-50601-2B | 50MM COMM LAMINATED STL, BORON SHKL, 6PK BULK | 2 | 039208985109 | 10000 lbs. | 5000 lbs. | M10 | 93 | 1092 |

BULK PACK LAMINATED STEEL PADLOCKS 44MM LONG SHACKLE PADLOCKS - KEYED ALIKE


44MM LAMINATED STEEL PADLOCK WITH EXTRA LONG SHACKLE ALL 24 PADLOCKS KEYED TO THE SAME KEY!



- Lock Body is constructed of laminated steel.
- Chrome plated hardened steel shackle
- Brass pin tumbler system
- Dual lever locking mechanism
- Lifetime warranty



This padlock is constructed of laminated steel, and features a 2-3/8 inch chrome plated hardened steel shackle. The lock is equipped with a brass pin tumbler cylinder for long lasting, smooth operation. The longer shackle is preferred by those looking to secure a cable, tool sheds, or other usage where a shorter shackle will not fit. Each lock is keyed alike for ease of use. Uses M1 keyblank. Lifetime warranty. As a global leader in security related products, the BRINKS[™] name is synonymous with top quality merchandise to keep your valuables safe.



BULK PACK DISCUS PADLOCKS 70MM DISCUS PADLOCKS - KEYED ALIKE

COMMERCIAL

70MM DISCUS PADLOCK WITH BORON STEEL SHACKLE ALL 4 LOCKS KEYED TO THE SAME KEY!



- Lock body is constructed of stainless steel
- Boron steel shackle
- Black rubber bumper to protect valuables from scratching
- Round shielded design minimizes shackle exposure
- Lifetime warranty

Brinks 70MM discus lock is the perfect padlock for use on storage sheds, gates, tool boxes, moving trucks, or other places where the extra security of a shielded padlock is essential. The included full rubber jacket provides extra protection for your valuables by preventing scratching or denting of surfaces while in use. The four (4) locks included with this bulk pack are all keyed alike, which makes multiple security needs easy and efficient. No more searching for the right key - one key opens all four locks.













HAMPTON

Check out the collection of motorcycle locks we offer.