



BRINKS

A TRUSTED NAME IN SECURITY SINCE 1859™

PORTABLE SECURITY



Portable Security Catalog Contents

AS A TRUSTED BRAND IN SECURITY PRODUCTS, THE BRINKS NAME IS SYNONYMOUS WITH PEACE OF MIND, STRENGTH, TRUST, SAFETY, AND QUALITY. OUR PRODUCTS DELIVER RELIABLE PERFORMANCE, ARE EASY TO USE AND INSTALL, AND OFFER AN OUTSTANDING VALUE.

EVERY BRINKS PRODUCT IS DESIGNED TO KEEP YOUR HOME, LOVED ONES, AND YOUR VALUABLES SAFE BY EXCEEDING RIGOROUS ASTM TESTING STANDARDS, AND USING THE HIGHEST QUALITY MATERIALS TO PROVIDE YOU WITH YEARS OF WORRY FREE USE.



Solid Brass

Resettable Brass Combination

Laminated Steel

- . Laminated Steel
- . Laminated Steel Warded
- . Laminated Steel Weather Resistant

Stainless Steel Shielded Discus

Dial Combinations

TSA Luggage Locks

Resettable Zinc

Cables

- . Looped Ends
- . Keyed Locking
- . Resettable Dial

U-Bar Locks

Hasps

Door Security Bar

Key Safe Lock Boxes




Laminated Steel

- Laminated Steel
- Laminated Steel Warded

Aluminum

Dial Combinations

Cables





Lock body is solid brass

Chrome plated hardened steel shackle for increased cut resistance

Lock is equipped with a brass pin tumbler and dual lever locking mechanism

Brass material resists corrosion making this lock perfect for use outdoors

SOLID BRASS


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
2 pack	171-20201-4	20MM SOLID BRASS, 2PK	4	039208994101			1065		

STANDARD
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
2 pack	171-20271-6	22MM TSA SOLID BRASS, 2PK	6	039208992572	500 lbs.	100 lbs.	TSA		
4 pack	171-20471-6	22MM TSA SOLID BRASS, 4PK	6	039208992589			TSA		


STANDARD
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	171-30001-4	30MM SOLID BRASS	4	039208992596	1300 lbs.	900 lbs.	VR5	None	VR91B
2 pack	171-30201-6	30MM SOLID BRASS, 2PK	6	039208992602	1300 lbs.	900 lbs.	VR5	None	VR91B


STANDARD
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	171-40001-4	40MM SOLID BRASS	4	039208992619	2400 lbs.	1400 lbs.	VR7	None	VR91AR
2 pack	171-40202-4	40MM SOLID BRASS, 2PK	4	039208994163	2400 lbs.	1400 lbs.	VR7	None	VR91AR
4 pack	171-40401-4	40MM SOLID BRASS, 4PK	4	039208992626	2400 lbs.	1400 lbs.	VR7	None	VR91AR


HIGH
 SECURITY


HIGH
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	171-42001-4	40MM SOLID BRRASS, 2-1/2" SHKL	4	039208992633	2800 lbs.	1500 lbs.	VR7	None	VR91AR
2 pack	171-42201-4	40MM SOLID BRASS, 2-1/2" SHKL, 2PK	4	039208994194	2800 lbs.	1500 lbs.	VR7	None	VR91AR
4 pack	171-42401-4	40MM SOLID BRASS, 2-1/2" SHKL, 4PK	4	039208992954	2800 lbs.	1500 lbs.	VR7	None	VR91AR


HIGH
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	171-50001-4	50MM SOLID BRASS	4	039208994224	2800 lbs.	1400 lbs.	VR2	104	VR91


HIGH
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	171-50061-4	50MM SOLID BRASS, ADJ SHKL	4	039208994262	3000 lbs.	2100 lbs.	VR7	None	VR91AR


HIGH
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	171-60001-4	60MM SOLID BRASS	4	039208994279	4100 lbs.	2700 lbs.	VR2	104	VR91





Lock body is solid brass

Chrome plated steel shackle for increased cut resistance

Resettable dial combination so you can easily select your own personal/secure combination

Brass material resists corrosion, making this lock perfect for use outdoors

BRASS COMBINATION RESETTABLE



STANDARD
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	171-30051-4	30MM SOLID BRASS RESETTABLE COMBINATION	4	039208992794	1200 lbs.	300 lbs.	N/A	N/A	N/A



STANDARD
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	171-40051-4	40MM SOLID BRASS RESETTABLE COMBINATION	4	039208992800	2100 lbs.	400 lbs.	N/A	N/A	N/A



HIGH
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	171-50051-4	48MM SOLID BRASS RESETTABLE COMBINATION	4	039208994231	6000 lbs.	650 lbs.	N/A	N/A	N/A



HIGH
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	171-50052-4	48MM SOLID BRASS RESETTABLE COMBINATION, 2" SHKL	4	039208994248	4500 lbs.	600 lbs.	N/A	N/A	N/A





Lock body is constructed from laminated steel
 Chrome plated hardened steel shackle for increased cut resistance
 Lock is equipped with a brass pin tumbler
 Dual lever locking mechanism

LAMINATED STEEL



STANDARD
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-30001-4	30MM LAMINATED STEEL	4	039208994286	1500 lbs.	500 lbs.	M2	69	1092



HIGH
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-40001-4	40MM LAMINATED STEEL	4	039208992640	2400 lbs.	1000 lbs.	M1	69	1092
2 pack	172-40201-4	40MM LAMINATED STEEL, 2PK	4	039208994354	2400 lbs.	1000 lbs.	M1	69	1092
4 pack	172-40401-4	40MM LAMINATED STEEL, 4PK	4	039208992824	2400 lbs.	1000 lbs.	M1	69	1092



HIGH
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-41001-4	40MM LAMINATED STEEL, 1-3/8" SHKL	4	039208992688	2300 lbs.	1500 lbs.	M1	69	1092



HIGH
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-42001-4	40MM LAMINATED STEEL, 2-1/4" SHKL	4	039208992701	2500 lbs.	900 lbs.	M1	69	1092
2 pack	172-42201-4	40MM LAMINATED STEEL, 2-1/4" SHKL, 2PK	4	039208994453	2500 lbs.	900 lbs.	M1	69	1092
4 pack	172-42401-4	40MM LAMINATED STEEL, 2-1/4" SHKL, 4PK	4	039208992718	2500 lbs.	900 lbs.	M1	69	1092


HIGH
 SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-44001-4	44MM LAMINATED STEEL	4	039208994460	3600 lbs.	2000 lbs.	M1	69	1092


HIGH
 SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-44002-4	44MM LAMINATED STEEL, 2" SHKL	4	039208992725	3600 lbs.	1300 lbs.	M1	69	1092
3 pack	172-44302-4	44MM LAMINATED STEEL, 2" SHKL, 3PK	4	039208992848	3600 lbs.	1300 lbs.	M1	69	1092


HIGH
 SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-50091-4	50MM LAMINATED STEEL, BORON SHKL	4	039208994507	12000 lbs.	3800 lbs.	M1	69	1092
3 pack	172-50391-4	50MM LAMINATED STEEL, BORON SHKL, 3PK	4	039208994521	12000 lbs.	3800 lbs.	M1	69	1092


HIGH
 SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-52091-4	50MM LAMINATED STEEL, 2" BORON SHKL	4	039208994569	11000 lbs.	2000 lbs.	M1	69	1092
2 pack	172-52291-4	50MM LAMINATED STEEL, 2" BORON SHKL, 2PK	4	039208994675	11000 lbs.	3000 lbs.	M1	69	1092


HIGH
 SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-60091-4	60MM LAMINATED STEEL, BORON SHKL	4	039208994682	14000 lbs.	3000 lbs.	M1	69	1092

Lock body is constructed from laminated steel

Chrome plated hardened steel shackle for increased cut resistance

Warded locking mechanism

LAMINATED STEEL WARDED



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-30011-4	30MM LAMINATED STEEL WARDED	4	039208994293	1400 lbs.	350 lbs.	Warded	Warded	Warded
2 pack	172-30211-4	30MM LAMINATED STEEL WARDED, 2PK	4	039208994316	1400 lbs.	350 lbs.	Warded	Warded	Warded

STANDARD
SECURITY



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-40011-4	40MM LAMINATED STEEL WARDED	4	039208992657	2400 lbs.	500 lbs.	Warded	Warded	Warded
2 pack	172-40211-4	40MM LAMINATED STEEL, 2PK	4	039208992664	2400 lbs.	500 lbs.	Warded	Warded	Warded
3 pack	172-40311-4	40MM LAMINATED STEEL WARDED, 3PK	4	039208992671	2400 lbs.	500 lbs.	Warded	Warded	Warded
4 pack	172-40411-4	40MM LAMINATED STEEL WARDED, 4PK	4	039208994385	2400 lbs.	500 lbs.	Warded	Warded	Warded

STANDARD
SECURITY



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-40061-4	40MM LAMINATED STEEL WARDED, ADJ SHKL	4	039208994415	2400 lbs.	500 lbs.	Warded	Warded	Warded

STANDARD
SECURITY



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-42011-4	40MM LAMINATED STEEL, 2-1/4" SHKL	4	039208994439	2400 lbs.	500 lbs.	Warded	Warded	Warded

STANDARD
SECURITY


STANDARD
 SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-44061-4	45MM LAMINATED STEEL, 6" ADJ SHKL	4	039208996747	3000 lbs.	600 lbs.	Warded	Warded	Warded



Lock body is constructed from laminated steel and features a full jacket to withstand the elements

Chrome plated hardened steel shackle covered in a vinyl wrap to impede rust and corrosion for increased cut resistance

Lock is equipped with a brass pin tumbler and dual lever locking mechanism

Key cylinder cover keeps dirt and grime out, allowing for smooth operation of keyway

LAMINATED STEEL WEATHER RESISTANT

HIGH
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-81005-4	40MM LAMINATED STEEL W/ HITCH PIN	4	039208994712	2400 lbs.	1200 lbs.	M1	69	1092


HIGH
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-40051-4	40MM LAMINATED STEEL WEATHER RESISTANT	4	039208994347	2400 lbs.	1200 lbs.	M1	69	1092
3 pack	172-40351-4	40MM LAMINATED STEEL WEATHER RESISTANT, 3PK	4	039208992817	2400 lbs.	1200 lbs.	M1	69	1092


HIGH
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-42051-4	40MM LAMINATED STEEL WEATHER RESISTANT, 2" SHKL	4	039208994361	2400 lbs.	1200 lbs.	M1	69	1092



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-40081-4	40MM SURE GRIP LAMINATED STEEL WEATHER RESISTANT	4	039208994392	2800 lbs.	1200 lbs.	M1	69	1092
2 pack	172-40281-3	40MM SURE GRIP LAMINATED STEEL WEATHER RESISTANT, 2" SHKL, 2PK	4	039208994446	2800 lbs.	1200 lbs.	M1	69	1092



Lock body is constructed from stainless steel

Chrome plated hardened steel shackle for increased cut resistance

Lock is equipped with a brass pin tumbler and dual lever locking mechanism

Round shielded design minimizes shackle exposure for extra security

STAINLESS STEEL SHIELDED



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	173-70001-4	70MM SHIELDED DISCUS	4	039208994743	8100 lbs.		M1	69	1092
2 pack	173-70201-4	70MM SHIELDED DISCUS, 2PK	4	039208994750	8100 lbs.		M1	69	1092
3 pack	173-70301-3	70MM SHIELDED DISCUS, 3PK	3	039208993166	8100 lbs.		M1	69	1092



Lock body is constructed from steel

Chrome plated hardened steel shackle for increased cut resistance

40-digit combination dial

Perfect for lockers and school or the gym

DIAL COMBINATIONS




Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-49001-4	48MM DIAL COMBO STEEL	4	039208992732	3000 lbs.	350 lbs.	N/A	N/A	N/A


STANDARD
 SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-49004-4	48MM DIAL COMBO ASSORTED COLORS "OLD SCHOOL"	4	039208994491	3500 lbs.	600 lbs.	N/A	N/A	N/A


STANDARD
 SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	172-49006-4	DIAL COMBO SAFE LOCK STYLE	4	039208992893	3500 lbs.	600 lbs.	N/A	N/A	N/A


STANDARD
 SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	174-49004-4	48MM DIAL COMBO ANODIZED ASSRT COLORS	4	039208992763	3500 lbs.	600 lbs.	N/A	N/A	N/A
2 pack	174-49204-4	48MM DIAL COMBO ANODIZED ASSRT COLORS 2PK	4	039208992770	3500 lbs.	600 lbs.	N/A	N/A	N/A



Lock bodies are constructed of zinc diecast
 Chrome plated hardened steel shackle for increased cut resistance
 Accepted by TSA
 Travel Sentry™ approved

TSA LUGGAGE LOCKS

STANDARD
 SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-25104-4	25MM ZINC COMBO TSA, ASSRT COLORS	4	039208992787			N/A	N/A	N/A



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-25105-4	25MM COMBO TSA BLACK W/CABLE	4	039208994583			N/A	N/A	N/A



STANDARD
SECURITY

ZINC RESETTABLE



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-50054-4	40MM SPORTS STYLE RESETTABLE ASSRT COLORS	4	039208992862	4000 lbs.	400 lbs.	N/A	N/A	N/A

STANDARD
SECURITY



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-50057-4	40MM SHOE STYLE RESETTABLE COMBO	4	039208994781			N/A	N/A	N/A

STANDARD
SECURITY



Flexible steel cable

Various lengths for your individual application

Durable vinyl coating on the cable protects against scratching and corrosion

Ideal for locking grills, tool boxes, bicycles, and other valuables left outdoors

CABLES LOOPED ENDS



HIGH
SECURITY



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-25481-4	40MM SURE GRIP PADLOCK W/ 4 FT. CABLE FOR SPARE TIRE	4	039208994798	2800 lbs.	1200 lbs.	M1	69	1092



STANDARD
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-06001-3T	1/4" x 6' LOOP CABLE	3	039208992909	1500 lbs.		N/A	N/A	N/A



HIGH
SECURITY



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-38150-3T	3/8" x 15' LOOPED END CABLE	3	039208996693	3100 lbs.		N/A	N/A	N/A



Flexible steel cable


Keyed locking for added personal security


Durable vinyl coating on the cable protects against scratching and corrosion

Ideal for locking grills, tool boxes, bicycles, and other valuables left outdoors

CABLES KEYED LOCKING

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-38606-3T	3/8" x 6' CABLE, ASSORTED COLORS W/ REFLEX STRIPE	3	039208220033	3000 lbs.		Tubular Key	N/A	N/A





HIGH SECURITY



Flexible steel cable


4-Dial resettable combination so you can choose your own personalized combination


Durable vinyl coating on the cable protects against scratching and corrosion

Ideal for locking grills, tool boxes, bicycles, and other valuables left outdoors

CABLES RESETTABLE DIAL


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-38654-3T	3/8" x 6' CABLE, RESETTABLE, ASSRT COLORS	3	039208995412	2000 lbs.		N/A	N/A	N/A






HIGH SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-38656-3T	3/8" x 6' CABLE, RESETTABLE, ASSRT COLORS, REFLEX STRIPE	3	039208220064	3000 lbs.		N/A	N/A	N/A





HIGH SECURITY



U-BAR LOCKS



HIGH
SECURITY



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-07007-2	U-BAR LOCK, MINI	2	039208994842	11000 lbs.	7500 lbs.	Tubular Key	N/A	N/A




HASPS


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-80035-6	HASP STRAIGHT BAR	6	039208994620			N/A	N/A	N/A

STANDARD
SECURITY


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	175-80055-6	HASP LARGE DOUBLE FLEX-HINGED	6	039208994644			N/A	N/A	N/A

STANDARD
SECURITY

DOOR SECURITY BAR


Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	675-83001-4	20 GAUGE STEEL DOOR SECURITY BAR	4	039208985475			N/A	N/A	N/A

HIGH
SECURITY



KEY SAFE LOCK BOX



HIGH
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	675-80001-4	KEY SAFE PORTABLE W/ SHACKLE	4	039208985543	3500 lbs.		N/A	N/A	N/A



HIGH
SECURITY

Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KEY BLANKS		
							KB	Axxess	ILCO
1 pack	675-80002-4	KEY SAFE WALL MOUNT	4	039208986571			N/A	N/A	N/A

CUSTOM KEYED ALIKE PROGRAM



Laminated Steel

Laminated Steel

- 4234-4KA - 40mm, 1-3/8" Shackle
- 4238-4KA - 40mm, 2-1/2" Shackle
- 4243-4KA - 44mm, 1-3/16" Shackle
- 4248-4KA - 44mm, 2-1/2" Shackle
- 4252-4KA - 50mm, 1-1/8" Shackle
- 4257-4KA - 50mm, 2" Shackle

NOTE:

For custom key orders, please inform sales associate of key-code required when placing your order.

Follow these steps to place a special order:

1. Select a Padlock from the list above.
2. Select the quantity of padlocks you would like to order.
3. Contact a sales associate at 800-562-5625 to place your order.
4. If placing a Custom Key order, please have your required key-code ready.

Please allow 2-3 days business days for delivery of product to the store where the order was placed. Additional shipping and handling fees will apply to the pricing above.

CUSTOM KEYED ALIKE PROGRAM



Weather Resistant

Weather Resistant

4433-4KA - 40mm, 1-3/16" Shackle

4437-4KA - 40mm, 2" Shackle

NOTE:

For custom key orders, please inform sales associate of key-code required when placing your order.

Follow these steps to place a special order:

1. Select a Padlock from the list above.
2. Select the quantity of padlocks you would like to order.
3. If placing a Custom Key order, please have your required key-code ready.

Please allow 2-3 days business days for delivery of product to the store where the order was placed. Additional shipping and handling fees will apply to the pricing above.



PORTABLE SECURITY

ALUMINUM



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KB	Axxess	ILCO
2 pack	204-20201-6	20MM ALUMINUM LOCK, 2PK	6	039208976206			N/A	N/A	N/A



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KB	Axxess	ILCO
2 pack	204-30201-6	30MM ALUMINUM LOCK KEYED ALIKE, 2PK	6	039208976213			N/A	N/A	N/A



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KB	Axxess	ILCO
1 pack	204-40001-6	40MM ALUMINUM LOCK	6	039208976237			N/A	N/A	N/A

WEATHER RESISTANT



Pack	Item Number	Description	Case Pack QTY	UPC Code	Cut Strength	Pull Strength	KB	Axxess	ILCO
1 pack	202-42051-4	40MM WEATHER RESISTANT PADLOCK	4	039208214292			N/A	N/A	N/A





BRINKS
A TRUSTED NAME IN SECURITY SINCE 1859™



Check out the collection of motorcycle locks we offer.