

DODGE 09-11
1500

4 WD **6"** KIT **RUN** 35" TIRES

FABTECH

1

6" BASIC SYSTEM

Our new Dodge 1500 6" system features Fabtech's proven IFS technology with extended length steering knuckles for proper factory electronic stability control functionality. Heavy duty 1/4" thick steel lower control arm crossmembers provide superior ground clearance while the integrated front differential skid plate adds protection to the drivetrain.

In the Basic system lift is accomplished via a steel coilover shock spacer system retaining the stock ride characteristics of the vehicle.

Rear lift is accomplished with replacement performance coil springs along with new upper and lower link arms for the proper pinion angle and no loss of ground clearance.



2

6" PERFORMANCE SYSTEM

Our new Dodge 1500 6" system features Fabtech's proven IFS technology with extended length steering knuckles for proper factory electronic stability control functionality. Heavy duty 1/4" thick steel lower control arm crossmembers provide superior ground clearance while the integrated front differential skid plate adds protection to the drivetrain.

The Performance system features Dirt Logic 2.5 Coilover shocks providing superior damping control for the aggressive driver.

Rear lift is accomplished with replacement performance coil springs along with new upper and lower link arms for the proper pinion angle and no loss of ground clearance.



2011 DODGE 1500
• 6" PERFORMANCE SYSTEM
• 35/12.50R20 TIRES
• 20X9 WHEELS W/ 4 1/2" BACK SPACING

2009-11 DODGE 1500

6" Basic System (29)(105)

Use 325/65R18 tires w/18x9 wheels w/4 1/2" BS w/minor trimming
Use 35/12.50R20 tires w/20x9 wheels w/4 1/2" BS w/minor trimming

K3053 - Kit# w/Performance Shocks

- 1 FTS23027 Component Box 1
- 1 FTS23028 Component Box 2
- 1 FTS23009BK Component Box 3
- 2 FTS7333 Rear Performance Shocks

FOOTNOTES

29. Rear springs may reduce load carrying capacity.
105. Will not fit 1500 Mega Cab models.

6" Performance System w/ Dirt Logic 2.5 Coilovers (29)(105)

Use 325/65R18 tires w/18x9 wheels w/4 1/2" BS w/minor trimming
Use 35/12.50R20 tires w/20x9 wheels w/4 1/2" BS w/minor trimming

K3053DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23027 Component Box 1
- 1 FTS23028 Component Box 2
- 1 FTS230101 Front Dirt Logic 2.5 Coilovers
- 2 FTS810951 Rear Dirt Logic 2.25 Non Resi

DODGE 06-08

1500

4 **6"** **RUN**
WD **KIT** **35"**
TIRES

6" BASIC SYSTEM

Our 6" Basic Systems include steel coilover shock spacers that utilize the stock front coilover shocks for a factory like ride. This system uses our proven IFS technology with extended length ductile iron steering knuckles and arched crossmembers for exceptional suspension ground clearance with a 1/4" thick differential skid plate, impact struts, heavy duty tie rods, and rear add-a-leafs.



2006-08 DODGE 1500

6" Basic System (8)(14)(55)

Use 35/12.50R18 tires w/18x9 wheels w/4 1/2" BS w/minor trimming
Use 35/12.50R20 tires w/20x9 wheels w/4 1/2" BS w/minor trimming

- K3016 - Kit# w/Performance Shocks**
K3016DB - Kit# w/Black Dirt Logic Shocks
- 1 FTS23021BK Component Box 1
 - 1 FTS23008BK Component Box 2
 - 1 FTS23009BK Component Box 3

Order below rear Performance or Dirt Logic Shocks

- 2 FTS7240 Rear Performance Shocks
- 2 FTS810011 Rear Dirt Logic 2.25 Non Resi

6" Performance System w/Dirt Logic 2.5 Coilovers (8)(14)(55)

Use 35/12.50R18 tires w/18x9 wheels w/4 1/2" BS w/minor trimming
Use 35/12.50R20 tires w/20x9 wheels w/4 1/2" BS w/minor trimming

- K3017B - Kit# w/Performance Shocks**
K3017DB - Kit# w/Black Dirt Logic Shocks
- 1 FTS23021BK Component Box 1
 - 1 FTS23008BK Component Box 2
 - 1 FTS230101 Dirt Logic 2.5 Coilovers

Order below rear Performance or Dirt Logic Shocks

- 2 FTS7240 Rear Performance Shocks
- 2 FTS810011 Rear Dirt Logic 2.25 Non Resi

ACCESSORIES

- Rear Black Dirt Logic Resi Shocks**
- 2 FTS800011 Rear Dirt Logic 2.25 w/Resi
- Black Billet Resi Clamp**
- 2 FTS899001 Shock Body to Resi

FOOTNOTES

- 8. Will not fit All Wheel Drive models.
- 14. Can not use OEM wheel and tire.
- 55. Must use 18" wheels or larger.

2006 DODGE 1500
• 6" PERFORMANCE SYSTEM
• 35/12.50R18 TIRES
• 18X9 WHEELS W/ 4 1/2" BACK SPACING



2002-05 DODGE 1500

6" Performance System (8)(14)(43)

Use 35/12.50R18 tires w/18x9 wheels w/4 1/2" BS w/minor trimming
Use 35/12.50R20 tires w/20x9 wheels w/4 1/2" BS w/minor trimming

- K3000 - Kit# w/Performance Shocks**
K3000DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23002BK Component Box 1
- 1 FTS23003BK Component Box 2

Order below front & rear Performance or Dirt Logic Shocks

- 2 FTS7159 Front Performance Shocks
- 2 FTS7240 Rear Performance Shocks
- 2 FTS810001 Front Dirt Logic 2.25 Non Resi
- 2 FTS810011 Rear Dirt Logic 2.25 Non Resi

ACCESSORIES

- Black Dirt Logic Resi Shocks**
- 2 FTS800001 Front Dirt Logic 2.25 w/Resi
 - 2 FTS800011 Rear Dirt Logic 2.25 w/Resi
- Black Billet Resi Clamp**
- 4 FTS899001 Shock Body to Resi

FOOTNOTES

- 8. Will not fit All Wheel Drive models.
- 14. Can not use OEM wheel and tire.
- 43. If exhaust routes under driveshaft, it will need to be modified to clear driveline.



DODGE 02-05

1500

4 **6"** **RUN**
WD **KIT** **35"**
TIRES

6" PERFORMANCE SYSTEM

Using our proven IFS technology this system features extended length steering knuckles and arched crossmembers for excellent on and offroad performance. Unique to Dodge is the lower control arm bushings mounting in the frame. Fabtech addresses this Dodge feature with a preinstalled vulcanized rubber bushing fitted into our rear crossmember for a quick installation while providing a factory like ride. System includes a 1/4" thick differential skid plate, impact struts, heavy duty tie rods, add a leafs, torsion bar mounts and more.



DODGE 94.5-01

1500

4
WD

3"
KIT

5.5"
KIT



5.5" PERFORMANCE SYSTEM

DODGE 94.5-01

1500



2000 DODGE 1500
 • 5.5" PERFORMANCE SYSTEM
 • 315/75R16 TIRES
 • 16X10 WHEELS W/ 4 5/8" BACK SPACING

1

3" BASIC SYSTEM

System features heavy duty steel coil spring spacers for lift without having to change the factory coil springs. Replacement 1 3/4" diameter lower control links provide proper caster and strength for offroad use. System includes replacement bump stops, blocks and u-bolts.



2

5.5" PERFORMANCE SYSTEM

Our Performance System for Ram 1500's provides increased ride height with additional wheel travel and articulation. The upper and lower control links are replaced with extended length 1 3/4" OD link arms and heavy duty frame brackets that utilize 5 1/2" tall coil springs for outstanding on and offroad ride. System also includes a Trac Bar relocation bracket, Pitman Arm, Bump Stops and more. Rear lift comes from a block and add-a-leaf.



1994.5-01 DODGE 1500

3" Basic System (48)

Use 33/1250R15 tires w/15x8 wheels w/4 1/2" BS w/minor trimming

K3001 - Kit# w/Performance Shocks

- | | | |
|---|------------|--------------------------|
| 1 | FTS23004BK | Component Box |
| 2 | FTS7236 | Front Performance Shocks |
| 2 | FTS7265 | Rear Performance Shocks |

2000-01 DODGE 1500

5.5" Performance System (4)(36)(49)(50)

Use 315/75R16 tires w/16x10 wheels w/4 5/8" BS w/minor trimming

K3002 - Kit# w/Performance Shocks

- | | | |
|---|-------------|--------------------------|
| 1 | FTS3420BK | Component Box 1 |
| 1 | FTS3400-3BK | Component Box 2 |
| 1 | FTSBK3 | Rear Block Kit |
| 1 | FTS3400UBK | Rear U-Bolt Kit |
| 1 | FTS207 | Rear Add-a-leaf |
| 2 | FTS7237 | Front Performance Shocks |
| 2 | FTS7335 | Rear Performance Shocks |

1994.5-99 DODGE 1500

5.5" Performance System (4)(36)(49)(50)

Use 315/75R16 tires w/16x10 wheels w/4 5/8" BS w/minor trimming

K3003 - Kit# w/Performance Shocks

- | | | |
|---|-------------|--------------------------|
| 1 | FTS3400BK | Component Box 1 |
| 1 | FTS3400-3BK | Component Box 2 |
| 1 | FTSBK3 | Rear Block Kit |
| 1 | FTS3400UBK | Rear U-Bolt Kit |
| 1 | FTS207 | Rear Add-a-leaf |
| 2 | FTS7237 | Front Performance Shocks |
| 2 | FTS7335 | Rear Performance Shocks |

ACCESSORIES

5.5" Multiple Front Shock System

K3018 - Kit# w/Performance Shocks (15)

- | | | |
|---|--------------|--------------------------|
| 1 | FTS3400-50BK | Component Box |
| 4 | FTS7265 | Front Performance Shocks |

Steering Stabilizers (102)

- | | | |
|---|---------|-----------------------|
| 1 | FTS8015 | Single Performance |
| 1 | FTS8016 | Dual Performance (92) |

Adjustable Trac Bar (102)

- | | |
|---|----------|
| 1 | FTS93002 |
|---|----------|

FOOTNOTES

4. Larger tires cannot be installed on OEM wheels.
15. May experience some loss of turning radius.
36. The front drive shaft must be modified, call for details.
48. Will not fit OEM offroad package.
49. Offroad edition models will only receive 4" of lift.
50. The installation of this kit requires some welding, which must be performed by a certified welder.
92. Will not work with 8800 GVW or higher vehicles.
102. For use with lifted suspension systems only.

DODGE 03-11

2500/3500



4.5" PERFORMANCE SYSTEM

This system includes our replacement front coil springs providing increased ride height and large 1 3/4" diameter upper and lower control links replace stock units for proper caster and increased strength. Also included is a Pitman Arm, Trac bar bracket, Bump Stops, and a rear block and u-bolt kit.



2009-11 DODGE 2500/3500 DIESEL W/AUTO TRANS ONLY

4.5" Performance System (3)

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming
Use 325/65R18 tires w/18x9.5 wheels w/4 5/8" BS w/minor trimming

K3037 - Kit# w/Performance Shocks

K3037DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23031 Component Box
- 1 FTS43000BK Coil Spring Box

Order below front & rear Performance or Dirt Logic Shocks

- 2 FTS7237 Front Performance Shocks
- 2 FTS7333 Rear Performance Shocks
- 2 FTS810401 Front Dirt Logic 2.25 Non Resi
- 2 FTS810361 Rear Dirt Logic 2.25 Non Resi

2003-08 DODGE 2500/3500 DIESEL W/AUTO TRANS ONLY

4.5" Performance System (3)

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming
Use 325/65R18 tires w/18x9.5 wheels w/4 5/8" BS w/minor trimming

K3006 - Kit# w/Performance Shocks

K3006DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23006BK Component Box
- 1 FTS43000BK Coil Spring Box

Order below front & rear Performance or Dirt Logic Shocks

- 2 FTS7237 Front Performance Shocks
- 2 FTS7333 Rear Performance Shocks
- 2 FTS810401 Front Dirt Logic 2.25 Non Resi
- 2 FTS810361 Rear Dirt Logic 2.25 Non Resi



5.5" PERFORMANCE SYSTEM

DODGE 94-02

2500/3500



5.5" PERFORMANCE SYSTEM

Our Performance System provides increased ride height with additional wheel travel and articulation. The upper and lower control links are replaced with extended length 1 3/4" OD link arms and heavy duty frame brackets that utilize 5.5" tall coil springs for outstanding on and offroad ride. System also includes a Trac Bar relocation bracket, Pitman Arm, Bump Stops and more. Rear lift includes a Block and Add-a-Leaf combo. Other options include a front Multiple Shock System for hardcore offroad use.



1994-02 DODGE 2500/3500 W/AUTO TRANS ONLY

5.5" Performance System (3)(4)(36)(50)

Use 315/75R16 tires w/ 16x10 wheels w/ 4 5/8" BS w/ minor trimming

K3007 - Kit# w/Performance Shocks

- 1 FTS3420BK Component Box
- 1 FTS3500-3BK Coil Spring Box
- 1 FTSBK2 Rear Block Kit
- 1 FTS3500UBK Rear U-bolt Kit
- 1 FTS209 Rear Add-a-leaf Kit
- 2 FTS7237 Front Performance Shocks
- 2 FTS7335 Rear Performance Shocks

2005 DODGE 2500

- 4.5" PERFORMANCE SYSTEM
- 325/65R18 TIRES
- 18X9.5 WHEELS W/ 4 5/8" BACK SPACING



FOOTNOTES

- 3. Non dually models only.
- 4. Larger tires cannot be installed on OEM wheels.
- 36. For V10 & diesel models only.
- 50. The installation of this kit requires welding.



DODGE 03-11

2500/3500

4 WD **6"** KIT **RUN 37"** TIRES

DODGE 03-11

2500/3500



2006 DODGE 2500
 • 6" PERFORMANCE SYSTEM
 • 37/13.50R18 TIRES
 • 18X9 WHEELS W/ 4 1/2" BACK SPACING



2010 DODGE 3500
 • 6" LONG ARM SYSTEM
 • 37/13.50R18 TIRES
 • 18X9 WHEELS W/ 4 1/2" BACK SPACING



2009-11 DODGE 2500/3500 DIESEL

6" Performance System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
 Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
 Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K3038 - Kit# w/Performance Shocks

K3038DB - Kit# w/Black Dirt Logic Shocks

- | | | |
|---|------------|-----------------|
| 1 | FTS23032 | Component Box |
| 1 | FTS23020BK | Coil Spring Box |
| 1 | FTS93008 | Trans Bracket |

Order below front & rear Performance or Dirt Logic Shocks

- | | | |
|---|-----------|--------------------------------|
| 2 | FTS7189 | Front Performance Shocks |
| 2 | FTS7266 | Rear Performance Shocks |
| 2 | FTS810721 | Front Dirt Logic 2.25 Non Resi |
| 2 | FTS810531 | Rear Dirt Logic 2.25 Non Resi |

2006-07 DODGE 2500/3500 5.9L DIESEL

6" Performance System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
 Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
 Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K30153 - Kit# w/Performance Shocks

K30153DB - Kit# w/Black Dirt Logic Shocks

- | | | |
|---|------------|-----------------|
| 1 | FTS23017BK | Component Box |
| 1 | FTS23020BK | Coil Spring Box |
| 1 | FTS93003 | Trans Bracket |

Order below front & rear Performance or Dirt Logic Shocks

- | | | |
|---|-----------|--------------------------------|
| 2 | FTS7189 | Front Performance Shocks |
| 2 | FTS7266 | Rear Performance Shocks |
| 2 | FTS810721 | Front Dirt Logic 2.25 Non Resi |
| 2 | FTS810531 | Rear Dirt Logic 2.25 Non Resi |

2007-08 DODGE 2500/3500 6.7L DIESEL

6" Performance System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
 Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
 Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K30154 - Kit# w/Performance Shocks

K30154DB - Kit# w/Black Dirt Logic Shocks

- | | | |
|---|------------|-----------------|
| 1 | FTS23017BK | Component Box |
| 1 | FTS23020BK | Coil Spring Box |
| 1 | FTS93008 | Trans Bracket |

Order below front & rear Performance or Dirt Logic Shocks

- | | | |
|---|-----------|--------------------------------|
| 2 | FTS7189 | Front Performance Shocks |
| 2 | FTS7266 | Rear Performance Shocks |
| 2 | FTS810721 | Front Dirt Logic 2.25 Non Resi |
| 2 | FTS810531 | Rear Dirt Logic 2.25 Non Resi |

2003-05 DODGE 2500/3500 DIESEL

6" Performance System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
 Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
 Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K30152 - Kit# w/Performance Shocks

K30152DB - Kit# w/Black Dirt Logic Shocks

- | | | |
|---|------------|-----------------|
| 1 | FTS23017BK | Component Box |
| 1 | FTS23020BK | Coil Spring Box |
| 1 | FTS93005 | Trans Bracket |

Order below front & rear Performance or Dirt Logic Shocks

- | | | |
|---|-----------|--------------------------------|
| 2 | FTS7189 | Front Performance Shocks |
| 2 | FTS7266 | Rear Performance Shocks |
| 2 | FTS810721 | Front Dirt Logic 2.25 Non Resi |
| 2 | FTS810531 | Rear Dirt Logic 2.25 Non Resi |

1 6" PERFORMANCE SYSTEM

Our Performance System features extended length 1.75" OD heavy wall control arm links pivoting on urethane bushings to keep the front suspension geometry proper while allowing increased travel. The replacement coil springs provide a quality highway ride with good offroad capability. Also included are Trac Bar Brackets, Pitman Arm, End Links, Bump Stops, and a Transmission Mount with rear lift coming from a Block and U-bolt system.



2 6" LONG ARM SYSTEM

This system converts the factory front control links to a long arm configuration for increased travel and ride quality. The extended links are twice the length of the factory units and are constructed of 2" OD tubing with a 1" uniball on one end with urethane bushings on the other. This allows for maximum articulation for offroad use with the ability to absorb highway road noises for a quiet ride.

The links attach to the factory axle brackets while new 1/4" thick steel brackets locate the links to the frame. The extended links allow for more offroad articulation of the front axle while smoothing out the highway ride by eliminating the factory short links. Rear lift is accomplished via a block and u-bolt configuration.



FOOTNOTES

- 3. Non dually models only.
- 20. Does not fit standard cab models.
- 56. Fits automatic transmission only.

**6" DODGE 03-11
KIT 2500/3500**

2009-11 DODGE 2500/3500 GAS

6" Performance System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K3033 - Kit# w/Performance Shocks

K3033DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23032 Component Box
- 1 FTS23014BK Coil Spring Box
- 1 FTS93007 Trans Bracket

Order below front & rear Performance or Dirt Logic Shocks

- 2 FTS7189 Front Performance Shocks
- 2 FTS7266 Rear Performance Shocks
- 2 FTS810721 Front Dirt Logic 2.25 Non Resi
- 2 FTS810531 Rear Dirt Logic 2.25 Non Resi

2006-08 DODGE 2500/3500 GAS

6" Performance System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K30151 - Kit# w/Performance Shocks

K30151DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23017BK Component Box
- 1 FTS23014BK Coil Spring Box
- 1 FTS93007 Trans Bracket

Order below front & rear Performance or Dirt Logic Shocks

- 2 FTS7189 Front Performance Shocks
- 2 FTS7266 Rear Performance Shocks
- 2 FTS810721 Front Dirt Logic 2.25 Non Resi
- 2 FTS810531 Rear Dirt Logic 2.25 Non Resi

2003-05 DODGE 2500/3500 GAS

6" Performance System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K3015 - Kit# w/Performance Shocks

K3015DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23017BK Component Box
- 1 FTS23014BK Coil Spring Box
- 1 FTS93004 Trans Bracket

Order below front & rear Performance or Dirt Logic Shocks

- 2 FTS7189 Front Performance Shocks
- 2 FTS7266 Rear Performance Shocks
- 2 FTS810721 Front Dirt Logic 2.25 Non Resi
- 2 FTS810531 Rear Dirt Logic 2.25 Non Resi



6" LONG ARM SYSTEM

2009-11 DODGE 2500/3500 DIESEL

6" Long Arm System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K3036 - Kit# w/Performance Shocks

K3036DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23033 Component Box 1
- 1 FTS23034 Component Box 2
- 1 FTS23020BK Coil Spring Box
- 1 FTS93008 Trans Bracket

Order below front & rear Performance or Dirt Logic Shocks

- 2 FTS7189 Front Performance Shocks
- 2 FTS7266 Rear Performance Shocks
- 2 FTS810721 Front Dirt Logic 2.25 Non Resi
- 2 FTS810531 Rear Dirt Logic 2.25 Non Resi

2007-08 DODGE 2500/3500 6.7L DIESEL

6" Long Arm System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K3043 - Kit# w/Performance Shocks

K3043DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23025 Component Box 1
- 1 FTS23026 Component Box 2
- 1 FTS23020BK Coil Spring Box
- 1 FTS93008 Trans Bracket

Order below front & rear Performance or Dirt Logic Shocks

- 2 FTS7189 Front Performance Shocks
- 2 FTS7266 Rear Performance Shocks
- 2 FTS810721 Front Dirt Logic 2.25 Non Resi
- 2 FTS810531 Rear Dirt Logic 2.25 Non Resi

**6" DODGE 03-11
KIT 2500/3500**

2006-07 DODGE 2500/3500 5.9L DIESEL

6" Long Arm System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K3042 - Kit# w/Performance Shocks

K3042DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23025 Component Box 1
- 1 FTS23026 Component Box 2
- 1 FTS23020BK Coil Spring Box
- 1 FTS93003 Trans Bracket

Order below front & rear Performance or Dirt Logic Shocks

- 2 FTS7189 Front Performance Shocks
- 2 FTS7266 Rear Performance Shocks
- 2 FTS810721 Front Dirt Logic 2.25 Non Resi
- 2 FTS810531 Rear Dirt Logic 2.25 Non Resi

2003-05 DODGE 2500/3500 DIESEL

6" Long Arm System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K3041 - Kit# w/Performance Shocks

K3041DB - Kit# w/Black Dirt Logic Shocks

- 1 FTS23025 Component Box 1
- 1 FTS23026 Component Box 2
- 1 FTS23020BK Coil Spring Box
- 1 FTS93005 Trans Bracket

Order below front & rear Performance or Dirt Logic Shocks

- 2 FTS7189 Front Performance Shocks
- 2 FTS7266 Rear Performance Shocks
- 2 FTS810721 Front Dirt Logic 2.25 Non Resi
- 2 FTS810531 Rear Dirt Logic 2.25 Non Resi

ACCESSORIES

SEE PAGE 125

FOOTNOTES

- 3. Non dually models only.
- 20. Does not fit standard cab models.
- 56. Fits automatic transmission only.

6" DODGE 03-11 KIT 2500/3500

2009-11 DODGE 2500/3500 GAS

6" Long Arm System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K3035 - Kit# w/Performance Shocks

K3035DB - Kit# w/Black Dirt Logic Shocks

- | | | |
|---|------------|-----------------|
| 1 | FTS23033 | Component Box 1 |
| 1 | FTS23034 | Component Box 2 |
| 1 | FTS23014BK | Coil Spring Box |
| 1 | FTS93007 | Trans Bracket |

Order below front & rear Performance or Dirt Logic Shocks

- | | | |
|---|-----------|--------------------------------|
| 2 | FTS7189 | Front Performance Shocks |
| 2 | FTS7266 | Rear Performance Shocks |
| 2 | FTS810721 | Front Dirt Logic 2.25 Non Resi |
| 2 | FTS810531 | Rear Dirt Logic 2.25 Non Resi |

2003-05 DODGE 2500/3500 GAS

6" Long Arm System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K3039 - Kit# w/Performance Shocks

K3039DB - Kit# w/Black Dirt Logic Shocks

- | | | |
|---|------------|-----------------|
| 1 | FTS23025 | Component Box 1 |
| 1 | FTS23026 | Component Box 2 |
| 1 | FTS23014BK | Coil Spring Box |
| 1 | FTS93004 | Trans Bracket |

Order below front & rear Performance or Dirt Logic Shocks

- | | | |
|---|-----------|--------------------------------|
| 2 | FTS7189 | Front Performance Shocks |
| 2 | FTS7266 | Rear Performance Shocks |
| 2 | FTS810721 | Front Dirt Logic 2.25 Non Resi |
| 2 | FTS810531 | Rear Dirt Logic 2.25 Non Resi |

FOOTNOTES

3. Non dually models only.
20. Does not fit standard cab models.
56. Fits automatic transmission only.

2006-08 DODGE 2500/3500 GAS

6" Long Arm System (3)(20)(56)

Use 37/12.50R17 tires w/17x9 wheels w/5" BS w/minor trimming
Use 37/13.50R18 tires w/18x9 wheels w/5" BS w/minor trimming
Use 37/13.50R20 tires w/20x9 wheels w/5" BS w/minor trimming

K3040 - Kit# w/Performance Shocks

K3040DB - Kit# w/Black Dirt Logic Shocks

- | | | |
|---|------------|-----------------|
| 1 | FTS23025 | Component Box 1 |
| 1 | FTS23026 | Component Box 2 |
| 1 | FTS23014BK | Coil Spring Box |
| 1 | FTS93007 | Trans Bracket |

Order below front & rear Performance or Dirt Logic Shocks

- | | | |
|---|-----------|--------------------------------|
| 2 | FTS7189 | Front Performance Shocks |
| 2 | FTS7266 | Rear Performance Shocks |
| 2 | FTS810721 | Front Dirt Logic 2.25 Non Resi |
| 2 | FTS810531 | Rear Dirt Logic 2.25 Non Resi |



4.5" MULTIPLE SHOCK SYSTEM

4.5"/6" MULTIPLE FRONT SHOCK SYS.

2009-11 Dodge 2500/3500 (3)(15)(20)

K3044 - Kit# w/Performance Shocks

- | | | |
|---|----------|--------------------------|
| 1 | FTS53002 | Component Box |
| 4 | FTS7333 | Front Performance Shocks |

K3044DB - Kit# w/Black Dirt Logic Non Resi Shocks

- | | | |
|---|-----------|--------------------------------|
| 1 | FTS53002 | Component Box |
| 4 | FTS810351 | Front Dirt Logic 2.25 Non Resi |

K3045DB - Kit# w/Black Dirt Logic Resi Shocks

- | | | |
|---|-----------|----------------------------|
| 1 | FTS53002 | Component Box |
| 4 | FTS800351 | Front Dirt Logic 2.25 Resi |

Black Billet Resi Clamp

- | | | |
|---|-----------|--------------------|
| 4 | FTS899001 | Shock Body to Resi |
|---|-----------|--------------------|

4.5"/6" MULTIPLE FRONT SHOCK SYS.

2003-08 Dodge 2500/3500 (3)(15)(20)

K3025 - Kit# w/Performance Shocks

- | | | |
|---|------------|--------------------------|
| 1 | FTS53000BK | Component Box |
| 4 | FTS7333 | Front Performance Shocks |

K3026DB - Kit# w/Black Dirt Logic Resi Shocks

- | | | |
|---|------------|----------------------------|
| 1 | FTS53000BK | Component Box |
| 4 | FTS800351 | Front Dirt Logic 2.25 Resi |

Black Billet Resi Clamp

- | | | |
|---|-----------|--------------------|
| 4 | FTS899001 | Shock Body to Resi |
|---|-----------|--------------------|

5.5" MULTIPLE FRONT SHOCK SYSTEM

1994-02 Dodge 2500/3500 (15)

K3018 - Kit# w/Performance Shocks

- | | | |
|---|--------------|--------------------------|
| 1 | FTS3400-50BK | Component Box |
| 4 | FTS7265 | Front Performance Shocks |

DODGE 94-11 ACCESSORIES

BLACK REAR DIRT LOGIC RESI SHOCKS

2003-11 Dodge 2500/3500

- | | | |
|---|-----------|--------------------------------|
| 2 | FTS800361 | 4.5" Rear Dirt Logic 2.25 Resi |
| 2 | FTS800531 | 6" Rear Dirt Logic 2.25 Resi |

Black Billet Resi Clamp

- | | | |
|---|-----------|--------------------|
| 2 | FTS899001 | Shock Body to Resi |
|---|-----------|--------------------|

TRACTION BARS

2003-11 Dodge 2500/3500 (3)(102)

- | | | |
|---|----------|-------------------------------|
| 1 | FTS23022 | Traction Bars (Gas Engine) |
| 1 | FTS23023 | Traction Bars (Diesel Engine) |

STEERING STABILIZERS

2003-11 Dodge 2500/3500

- | | | |
|---|-----------|-------------------------|
| 1 | FTS850021 | Single Black Dirt Logic |
|---|-----------|-------------------------|

1994-02 Dodge 2500/3500 (92)(102)

- | | | |
|---|---------|--------------------|
| 1 | FTS8015 | Single Performance |
| 1 | FTS8016 | Dual Performance |

FOOTNOTES

3. Non dually models only.
15. Will experience some loss of turning radius.
20. Does not fit standard cab models.
92. Will not work with 8800 GVW or higher vehicles.
102. For use with lifted suspension systems only.