

20.3" 2" 6" KIT





2004-08 FORD F150

0-3" Dirt Logic 2.5 Coilover System

Use 33/12.50R17 tire w/ 17x8 wheels w/5" BS w/minor trimming

K2069B - Kit# w/Performance Shocks K2069DB - Kit# w/Black Dirt Logic Shocks

1 FTS220191 Front Dirt Logic 2.5 Coilovers

Order below rear Performance or Dirt Logics Shocks

FTS7265 **Rear Performance Shocks** 2 FTS810321 Rear Dirt Logic 2.25 Non Resi

6" Basic System (4)

Use 315/70R17 tire w/ 17x8 wheels w/5" BS w/minor trimming

K2000 - Kit# w/Performance Shocks K2000DB - Kit# w/Black Dirt Logic Shocks

FTS22013BK Component Box 1 FTS22014BK Component Box 2

Order below rear Performance or Dirt Logics Shocks

FTS7333 **Rear Performance Shocks** 2 FTS810331 Rear Dirt Logic 2.25 Non Resi

6" Performance System w/Dirt Logic 2.5 Coilovers (4)

Use 315/70R17 tire w/ 17x8 wheels w/5" BS w/minor trimming

K2001B - Kit# w/Performance Shocks **K2001DB** - Kit# w/Black Dirt Logic Shocks

FTS22013BK Component Box 1 FTS22040BK Component Box 2

1 FTS220421 Front Dirt Logic 2.5 Coilovers

Order below rear Performance or Dirt Logics Shocks

FTS7333 **Rear Performance Shocks** 2 FTS810331

Rear Dirt Logic 2.25 Non Resi

ACCESSORIES

Steering Stabilizer

Dual Performance Stabilizer 1 FTS8009

FOOTNOTES

4. Larger tires cannot be installed on OEM wheels.



6" BASIC SYSTEM

0-3" COILOVER SYSTEM

specific valving provides a good highway ride with excellent

This system features extended length replacement front shocks that utilize the factory front coil springs a compliant on and offroad ride. Using our arched lower control arm crossmembers and ductile iron extended length spindle technology this system provides superior ground clearance with a smooth ride Other features include lower control arm eccentric cams for easy alignment, sway bar drop brackets, 2" double pin cast iron rear lift blocks and u-bolts.

Designed for the F150 enthusiast looking to slightly lift and level the stance of the vehicle while increasing the front suspension dampening capacity. The Dirt Logic 2.5 Coilover shocks are a direct replacement for the factory coilover

shocks with the ability to be adjusted in height from 0 to 3" of lift. Vehicle





3.5" 7.5" KIT

7.5" PERFORMANCE SYSTEM

This system uses our proven crossmember and steering knuckle technology found in our 4 Wheel Drive IFS systems. The factory upper control arm remains in the stock frame pocket attaching to a new extended length ductile iron spindle with the lower control arm relocated into the one piece crossmembers. Extended length smooth ride coil springs provides increased ride height for clearance of 35" tall tires. Rear lift is comprised of a 5" block and U-Bolt kit.

FORD 97-03

• 7.5" PERFORMANCE SYSTEM • 315/75R16 TIRES

1999 FORD F150

• 16X8 WHEELS W/ 4" BACK SPACING

1997-03 FORD F150 2004 FORD F150 HERITAGE 5 LUG 8 F250 7 LUG

3.5" Spindle System

Use 295/75R16 tire w/16x8 wheels w/4 5/8" BS w/minor trimming

K2070 - Kit# w/Performance Shocks

- 3.5" Spindle Kit FTS97159-7 FTS290 Alignment Cams Rear Block Kit FTSBK2 FTS722 U-bolt Kit
- **Front Performance Shocks** FTS7110 FTS7236 Rear Performance Shocks

7.5" Performance System (4)(20)

Use 315/75R16 tires w/16x8 wheels w/4" BS w/minor trimming Use 315/70R17 tires w/17x8 wheels w/4" BS w/minor trimming

K2008 - Kit# w/Performance Shocks

- FTS22004BK Component Box 1 FTS22005BK Component Box 2
- **Front Performance Shocks** FTS7331 FTS7238 **Rear Performance Shocks**

ACCESSORIES

Steering Stabilizer

1 FTS8019 Single Performance Stabilizer

FOOTNOTES

- 4. Larger tires cannot be installed on OEM wheels.
- 20. Does not fit standard cab models.



2 4 6 KIT

4"/6" BASIC SYSTEM

Utilizing the vehicle's stock I beams and radius arms the heavy duty 1/4" thick brackets relocate these components with extended length coil springs for increased ride height and proper front suspension geometry. System includes heavy duty brackets, drop pitman arm, front and rear performance shocks and a rear block kit.



4"/6" PERFORMANCE SYSTEM

Our performance systems use a combination of I beam drop brackets, tubular radius arms, front coil springs, drop pitman arm, front & rear performance shocks and a rear block kit. Tubular radius arms provide additional strength over stock units with increased caster and an offset design for greater tire clearance.





1999-00 FORD F250/F350 W/GAS

4" Basic System (3)

Use 305/70R16 tires w/16x8 wheels w/4 5/8" BS w/minor trimming Use 285/70R17 tire w/17x8 wheels w/4 5/8" BS w/minor trimming

K2093 - Kit# w/Performance Shocks

1 FTS412 Component Box 1 FTS131 Coil Box Kit 2 FTS594 Alignment Cams 1 FTSBK1 Rear Block Kit 1 FTS351UBK U-bolt Kit

2 FTS7160 Front Performance Shocks2 FTS7299 Rear Performance Shocks

4" Performance System (3)

Use 305/70R16 tires w/16x8 wheels w/4 5/8" BS w/minor trimming Use 285/70R17 tire w/17x8 wheels w/4 5/8" BS w/minor trimming

K2095 - Kit# w/Performance Shocks

FTS410 Component Box
FTS409 Radius Arm Box Kit
FTS131 Coil Box Kit
PTS594 Alignment Cams
FTSBK1 Rear Block Kit
FTS351UBK U-bolt Kit

2 FTS7160 Front Performance Shocks 2 FTS7299 Rear Performance Shocks

ACCESSORIES

Dual Performance Steering Stabilizer (77)

FTS8001 99-04 F250/F350 00-05 Excursion

Pitman Arms (SEE CHART ON PG. 207)

1 FTS309 Prior to March 99 Prod. Date 1 FTS310 After March 99-04 Prod. Date

FTS311 1999-04 F250/F350

2001-04 FORD F250/F350 W/GAS 2000-05 FORD EXCURSION W/GAS

4" Basic System (3)

Use 305/70R16 tires w/16x8 wheels w/4 5/8" BS w/minor trimming Use 285/70R17 tire w/17x8 wheels w/4 5/8" BS w/minor trimming

K2094 - Kit# w/Performance Shocks

1 FTS413 Component Box 1 FTS131 Coil Box Kit 2 FTS594 Alignment Cams 1 FTSBK1 Rear Block Kit

1 FTS351UBK U-bolt Kit

FTS7160 Front Performance Shocks
FTS7299 Rear Performance Shocks

4" Performance System (3)

Use 305/70R16 tires w/16x8 wheels w/4 5/8" BS w/minor trimming Use 285/70R17 tire w/17x8 wheels w/4 5/8" BS w/minor trimming

K2096 - Kit# w/Performance Shocks

FTS411 Component Box
FTS409 Radius Arm Box Kit
FTS131 Coil Box Kit
FTS594 Alignment Cams
FTSBK1 Rear Block Kit
FTS351UBK U-bolt Kit

2 FTS7160 Front Performance Shocks2 FTS7299 Rear Performance Shocks

AND THE RESIDENCE OF THE PARTY OF THE PARTY

6" APPLICATIONS ON NEXT PAGE

FOOTNOTES

3. Non dually models only.

77. For use with Fabtech suspension systems only.



2008-10 FORD F250 W/V10 or DIESEL

6" Basic System

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming Use 35x13.50R20 tires w/20x10 wheels w/5" BS w/minor trimming

K2062 - Kit# w/Performance Shocks

FTS22122BK Component Box 1

FTS22121BK Component Box 2 (V10/Diesel)

FTS22057 Rear Kit

FTS7236 Front Performance Shocks

FTS7333 Rear Performance Shocks

6" Performance System

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming Use 35x13.50R20 tires w/20x10 wheels w/5" BS w/minor trimming

K2063 - Kit# w/Performance Shocks

FTS22120BK Component Box 1

FTS22121BK Component Box 2 (V10/Diesel)

FTS22057

Rear Kit

FTS7236 FTS7333

Front Performance Shocks Rear Performance Shocks

6" Basic System

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming Use 35x13.50R20 tires w/20x10 wheels w/5" BS w/minor trimming

K20621 - Kit# w/Performance Shocks

FTS22122BK Component Box 1

FTS22098BK Component Box 2 (5.4L V8)

FTS22057 Rear Kit

FTS7236 Front Performance Shocks FTS7333 Rear Performance Shocks

6" Performance System

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming Use 35x13.50R20 tires w/20x10 wheels w/5" BS w/minor trimming

K20631 - Kit# w/Performance Shocks

FTS22120BK Component Box 1

FTS22098BK Component Box 2 (5.4L V8)

FTS22057 Rear Kit

FTS7236 Front Performance Shocks

FTS7333 Rear Performance Shocks

2005-07 FORD F250 W/V10 or DIESEL

6" Basic System

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming Use 35x13.50R20 tires w/20x10 wheels w/5" BS w/minor trimming

K2060 - Kit# w/Performance Shocks

FTS22056BK Component Box 1

FTS22058BK Component Box 2 (V10/Diesel)

FTS22057 Rear Kit

FTS7236 **Front Performance Shocks** FTS7333 **Rear Performance Shocks**

6" Performance System

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming Use 35x13.50R20 tires w/20x10 wheels w/5" BS w/minor trimming

K2061 - Kit# w/Performance Shocks

FTS22055BK Component Box 1

FTS22058BK Component Box 2 (V10/Diesel)

FTS22057

Rear Kit

FTS7236 Front Performance Shocks 2 FTS7333

Rear Performance Shocks

2005-07 FORD F250 W/5.4L V8

6" Basic System

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming Use 35x13.50R20 tires w/20x10 wheels w/5" BS w/minor trimming

K20601 - Kit# w/Performance Shocks

FTS22056BK Component Box 1

FTS22098BK Component Box 2 (5.4L V8)

FTS22057 Rear Kit

2 FTS7236 Front Performance Shocks 2 FTS7333 **Rear Performance Shocks**

6" Performance System

Use 315/70R17 tires w/17x8 wheels w/4 5/8" BS w/minor trimming Use 35x13.50R20 tires w/20x10 wheels w/5" BS w/minor trimming

K20611 - Kit# w/Performance Shocks

FTS22055BK Component Box 1

FTS22098BK Component Box 2 (5.4L V8)

FTS22057 Rear Kit

2 FTS7236 Front Performance Shocks

FTS7333 **Rear Performance Shocks**

1999-00 FORD F250/F350 7.31 DIESEL

6" Basic System (3)

Use 305/70R16 tires w/16x8 wheels w/4 5/8" BS w/minor trimming

K2099 - Kit# w/Performance Shocks

1 FTS412 Component Box 1 FTS137 Coil Box Kit 2 FTS594 Alignment Cams 1 FTSBK3 Rear Block Kit 1 FTS351UBK U-bolt Kit

2 FTS7236 Front Performance Shocks2 FTS7333 Rear Performance Shocks

6" Performance System (3)

Use 315/75R16 tires w/ 16x8 wheels w/ 4 5/8" BS w/ minor trimming Use 315/70R17 tires w/ 17x8 wheels w/ 4 5/8" BS w/ minor trimming

K2103 - Kit# w/Performance Shocks

1 FTS410 Component Box 1 FTS409 Radius Arm Box Kit 1 FTS137 Coil Box Kit 2 FTS594 Alignment Cams 1 FTSBK3 Rear Block Kit 1 FTS351UBK U-bolt Kit

FTS7236 Front Performance Shocks
FTS7333 Rear Performance Shocks

1999-00 FORD F250/F350 GAS or 6.01 DIESEL

6" Basic System (3)

Use 305/70R16 tires w/16x8 wheels w/4 5/8" BS w/minor trimming

K2097 - Kit# w/Performance Shocks

1 FTS412 Component Box 1 FTS136 Coil Box Kit 2 FTS594 Alignment Cams 1 FTSBK3 Rear Block Kit 1 FTS351UBK U-bolt Kit

2 FTS7236 Front Performance Shocks2 FTS7333 Rear Performance Shocks

6" Performance System (3)

Use 315/75R16 tires w/ 16x8 wheels w/ 4 5/8" BS w/ minor trimming Use 315/70R17 tires w/ 17x8 wheels w/ 4 5/8" BS w/ minor trimming

K2101 - Kit# w/Performance Shocks

1 FTS410 Component Box
1 FTS409 Radius Arm Box Kit
1 FTS136 Coil Box Kit
2 FTS594 Alignment Cams
1 FTSBK3 Rear Block Kit
1 FTS351UBK U-bolt Kit

2 FTS7236 Front Performance Shocks 2 FTS7333 Rear Performance Shocks

FOOTNOTES

3. Non dually models only.

2001-04 FORD F250/F350 2000-05 EXCURSION GAS or 6.0L DIESEL

6" Basic System (3)

Use 305/70R16 tires w/16x8 wheels w/4 5/8" BS w/minor trimming

K2098 - Kit# w/Performance Shocks

1 FTS413 Component Box 1 FTS136 Coil Box Kit 2 FTS594 Alignment Cams 1 FTSBK3 Rear Block Kit 1 FTS351UBK U-bolt Kit

2 FTS7236 Front Performance Shocks2 FTS7333 Rear Performance Shocks

6" Performance System (3)

Use 315/75R16 tires w/ 16x8 wheels w/ 4 5/8" BS w/ minor trimming Use 315/70R17 tires w/ 17x8 wheels w/ 4 5/8" BS w/ minor trimming

K2102 - Kit# w/Performance Shocks

1 FTS411 Component Box
1 FTS409 Radius Arm Box Kit
1 FTS136 Coil Box Kit
2 FTS594 Alignment Cams
1 FTSBK3 Rear Block Kit
1 FTS351UBK U-bolt Kit
2 FTS7236 Front Performance Sh

2 FTS7236 Front Performance Shocks2 FTS7333 Rear Performance Shocks

2001-04 FORD F250/F350 2000-05 EXCURSION 7.31 DIESEL

6" Basic System (3)

Use 305/70R16 tires w/16x8 wheels w/4 5/8" BS w/minor trimming

K2100 - Kit# w/Performance Shocks

FTS413 Component Box FTS137 Coil Box Kit PTS594 Alignment Cams FTSBK3 Rear Block Kit FTS351UBK U-bolt Kit

2 FTS7236 Front Performance Shocks2 FTS7333 Rear Performance Shocks

6" Performance System (3)

Use 315/75R16 tires w/ 16x8 wheels w/ 4 5/8" BS w/ minor trimming Use 315/70R17 tires w/ 17x8 wheels w/ 4 5/8" BS w/ minor trimming

K2104 - Kit# w/Performance Shocks

1 FTS411 Component Box
1 FTS409 Radius Arm Box Kit
1 FTS137 Coil Box Kit
2 FTS594 Alignment Cams
1 FTSBK3 Rear Block Kit
1 FTS351UBK U-bolt Kit

2 FTS7236 Front Performance Shocks2 FTS7333 Rear Performance Shocks

FORD 98-08 RANGER







2.5" PERFORMANCE SYSTEM

The design of our upper control arms, upper bump stop mounts and coil springs allows us to obtain 2.5" of lift with 2" of increased wheel travel. This system comes complete with preinstalled ball joints.



1998-08 FORD RANGER W/COIL SPRINGS & 4 CYL or 3.0L

2.5" Performance System (4)

Use 31/10.50R15 tires w/15x7 wheels w/3 3/4" BS w/minor trimming

K2108 - Kit# w/Performance Shocks

1 FTS98100-2 Coil Box Kit

1 FTS98100-6BJ Upper Control Arm Kit 1 FTS291 Alignment Cam & Bolt Kit

1 FTS202 Rear Add-a-leaf Kit 2 FTS7119 Front Performance Shocks

2 FTS7265 Rear Performance Shocks

1998-08 FORD RANGER W/COIL SPRINGS & 4.0L V&

2.5" Performance System (4)

Use 31/10.50R15 tires w/15x7 wheels w/3 3/4" BS w/minor trimming

K2109 - Kit# w/Performance Shocks

1 FTS98100-3 Coil Box Kit

1 FTS98100-6BJ Upper Control Arm Kit 1 FTS291 Alignment Cam & Bolt Kit

FTS202 Rear Add-a-leaf Kit

Pront Performance Shocks

2 FTS7265 Rear Performance Shocks

FORD 98-08

2 5.5 KIT





FORD RANGER

- 32/11.50R15 TIRES
- 15X7 WHEELS W/ 3 3/4" BACK SPACING



2001-08 FORD RANGER W/COIL SPRINGS

3" Spindle System (4)(46)

Use 31/10.50R15 tires w/15x7 wheels w/3 3/4" BS w/minor trimming

K2107 - Kit# w/Performance Shocks

FTS98200-7 3" Spindle Kit

1998-00 FORD RANGER W/COIL SPRINGS

Use 31/10.50R15 tires w/15x7 wheels w/3 3/4" BS w/minor trimming

K2106 - Kit# w/Performance Shocks

FTS291

Alignment Cam & Bolt Kit

FTS202

Rear Add-a-leaf Kit

FTS7078

FTS7265

Front Performance Shocks **Rear Performance Shocks**

2001-08 FORD RANGER W/TORSION BARS

3" Spindle System (4)(15)

Use 32/11.50R15 tires w/15x7 wheels w/3 3/4" BS w/minor trimming

K2105 - Kit# w/Performance Shocks

FTS98300-7 3" Spindle Kit FTS291

Alignment Cam & Bolt Kit FTS202 Rear Add-a-leaf Kit

Front Performance Shocks FTS7330 FTS7333 **Rear Performance Shocks**

FTS98100-7 3" Spindle Kit

3" Spindle System (4)(46)

FTS291

Alignment Cam & Bolt Kit

FTS202 FTS7078 Rear Add-a-leaf Kit

Front Performance Shocks

2 FTS7265

Rear Performance Shocks

2001-08 FORD RANGER W/COIL SPRINGS 8 4 CYL or 3.0L

5.5" Ultimate System (4)(46)

Use 32/11.50R15 tires w/15x7 wheels w/3 3/4" BS w/minor trimming

K2111 - Kit# w/Performance Shocks

FTS98100-2 Coil Box Kit

FTS98100-6BJ Upper Control Arm Kit

FTS98200-7 3" Spindle Kit

Alignment Cam & Bolt Kit FTS291

FTSBK2 Rear Block Kit FTS725 Rear U-bolt Kit

FTS202 Rear Add-a-leaf Kit FTS7119 **Front Performance Shocks**

FTS7333 **Rear Performance Shocks**

1998-00 FORD RANGER W/COIL SPRINGS 8 4 CYL or 3.0L

5.5" Ultimate System (4)(46)

Use 32/11.50R15 tires w/15x7 wheels w/3 3/4" BS w/minor trimming

K2110 - Kit# w/Performance Shocks

FTS98100-2 Coil Box Kit

FTS98100-6BJ Upper Control Arm Kit

FTS98100-7 3" Spindle Kit

Alignment Cam & Bolt Kit FTS291

FTSBK2 Rear Block Kit FTS725 Rear U-bolt Kit FTS202 Rear Add-a-leaf Kit

FTS7119 Front Performance Shocks

2 FTS7333 **Rear Performance Shocks**

2001-08 FORD RANGER W/COIL SPRINGS & 4.0L V&

5.5" Ultimate System (4)(46)

Use 32/11.50R15 tires w/15x7 wheels w/3 3/4" BS w/minor trimming

K2113 - Kit# w/Performance Shocks

FTS98100-3 Coil Box Kit

FTS98100-6BJ Upper Control Arm Kit

FTS98200-7 3" Spindle Kit

FTS291

Alignment Cam & Bolt Kit

FTSBK2 Rear Block Kit Rear U-bolt Kit FTS725

Rear Add-a-leaf Kit FTS202

FTS7119 Front Performance Shocks FTS7333 **Rear Performance Shocks**

1998-00 FORD RANGER W/COIL SPRINGS & 4.0L V6

5.5" Ultimate System (4)(46)

Use 32/11.50R15 tires w/15x7 wheels w/3 3/4" BS w/minor trimming

K2112 - Kit# w/Performance Shocks

FTS98100-3 Coil Box Kit

FTS98100-6BJ Upper Control Arm Kit

FTS98100-7 3" Spindle Kit

Alignment Cam & Bolt Kit

FTSBK2 Rear Block Kit FTS725 Rear U-bolt Kit

FTS202 Rear Add-a-leaf Kit

FTS7119 Front Performance Shocks

FTS7333 **Rear Performance Shocks**

FOOTNOTES

- 4. Larger tires cannot be installed on OEM wheels.
- 15. Will experience some loss of turning radius.
- 46. Models w/ 10.25" rotor use FTS98100-7, Models w/ 11.25" rotor use FTS98200-7.