

Manufactured Exclusively by Metra Electronics:

Heise LED Lighting Systems are engineered and manufactured to meet all international standards. Heise's product line of bright, durable, state-of-the-art LED lights continues to grow, making it one of the top global leaders in the lighting market.

iBEAM Safety Systems manufactures dependable products for safer driving. iBEAM products utilize the latest technology and highquality materials to help make blind spots a thing of the past.

The Install Bay is a one-stop-shop for reliable and cost-effective products in the aftermarket automotive accessories industry. These tools, hardware, and installation accessories are trusted in the majority of today's professional install shops.

Metra's 70+ year history, experience and approach to engineering and manufacturing ensures that all of these brands' products stand out among the competitors and are the highest quality available.

HIGH PERFORMANCE TRAILER LIGHTING & ACCESSORIES

Auxiliary driving and fog lights are intended for use solely as auxiliary lighting. They are not intended to be used for headlight purposes, nor are they certified for headlight usage. Auxiliary lights are designed to improve visibility during night time driving and inclement weather. Irresponsible use of any auxiliary light can be dangerous and illegal. Auxiliary driving lights are intended to supplement the high-beam of a standard headlamp system. They are not intended for use alone or with the low-beam of a standard headlamp system. Lighting laws vary from state to state. • MARKER LIGHTS 5-7

• TRAILER ACCESSORIES . . .

- FLANGES &
 GROMMETS10-11

• MONITORS & CAMERAS ... 15-18

• TRAILER WIRING







Better Construction, Inside and Out

Heise's LED lighting products integrate advanced thermal management, short circuit and open circuit protection and many other innovative features to repel moisture and extend the overall life of the product. Many of the lights are designed with virtually unbreakable materials to withstand the elements in even the harshest environments. All products undergo rigorous testing during the development and manufacturing process and once again before leaving the factory.

TRAILER LIGHT LED BAR






OVAL TRAILER LED





ROUND TRAILER LED






ROUND TRAILER LED



MARKER / CLEARANCE LIGHT WITH REFLECTOR






ROUND MARKER / CLEARANCE LIGHT




ROUND MARKER / CLEARANCE LIGHT







TRAILER ACCESSORIES



<u>NHEIS</u>

BULK FLANGES & GROMMETS





FLANGES & GROMMETS

 6° plastic flange 6° plastic flange 6° rubber grommet 6° rubber gr	HE-TRM101 6 INCH O	VAL SURFACE MOUNT	NEW!
HETRMI02 Direct OVAL GROMMET • 6" rubber grommet • Single pack • HE-TRMI03 • All CH ROUND SURFACE MOUNT • 4" stainless steel flange • Single pack • 100 • 11 • 12 •	• 6" plastic flange	Single pack	
Image: Constant of the set of the	HE-TRM102 BINCH OV	VAL GROMMET	NEW!
HETRMIO3 LINCH ROUND SURFACE MOUNT • 4" stainless steel flange • Single pack • 4" stainless steel flange • Single pack • • • • • • • • • • • • • • • • • • •	• 6" rubber grommet	Single pack	
HE-TRM104 LICH ROUND GROMMET • 4" rubber grommet • Single pack • 0 HE-TRM105 • 2.5" rubber grommet • Single pack • 0 • E-TRM106 • 10 • Single pack • 10 • Single pack • 10 • Single pack • 10 • Single pack • 10 • Single pack • 10 • Single pack • 10 • Single pack • 10 • Single pack • 10 • Single pack • 10 <th></th> <th></th> <th>ROUND SURFACE MOUNT</th>			ROUND SURFACE MOUNT
HE-TRM105 2.5 INCH ROUND GROMMET • 2.5" rubber grommet • Single pack • 2" rubber grommet • Single pack • 2" rubber grommet • Single pack • 2" rubber grommet • Single pack • .75" stainless steel flange • Single pack • .75" stainless steel flange • Single pack • .75" rubber grommet • Single pack			ROUND GROMMET
HETRM106 2 INCH ROUND GROMMET • 2" rubber grommet • Single pack • 2" rubber grommet • Single pack • 75" stainless steel flange • Single pack • 75" rubber grommet • Single pack • 75" rubber grommet • Single pack EREAKE LIGHT FLASHERS BRAKE LIGHT FLASHERS ILEDBLF Strobe FLASH CONTROLLER FOR LED BRAKE LIGHT For use with LED third brake lights	-		INCH ROUND GROMMET
 HE-TRM107 O.75 INCH ROUND STAINLESS FLANGE .75" stainless steel flange .75" stainless steel flange .75" nubber grommet .75" rubber grommet .5ingle pack BRAKE LIGHT FLASHERSS IBLEDBLF STROBE FLASH CONTROLLER FOR LED BRAKE LIGHT FLASHERS • For use with LED third brake lights	- 0		ROUND GROMMET • Single pack
.75" rubber grommet . Single pack BRAKE LIGHT FLASHERS IBLEDBLF STROBE FLASH CONTROLLER FOR LED BRAKE LIGHT For use with LED third brake lights		• .75" stainless steel flange	 INCH ROUND STAINLESS FLANGE Single pack
IBLEDBLF STROBE FLASH CONTROLLER FOR LED BRAKE LIGHT EA • For use with LED third brake lights InstallBay		• .75" rubber grommet	 INCH ROUND GROMMET Single pack
	BLEDBLF STROBE FLA For use with LED third brake li	SH CONTROLLER FOR LED BRAKE LIGH	

stallBay

U T R(+)

Strobe Controller For LED Stoplight

IBBLF BRAKE LIGHT FLASHER EA

- For use with non-LED third brake lightsFlashes third brake light for greater visibility

LED LIGHTBARS

12



COMMON FEATURES

INPUT VOLTAGE: 10-30V DC COLOR TEMPERATURE: 6000K BEAM PATTERN: COMBO: FLOOD (90) & SPOT (8) HOUSING MATERIAL: DIE-CAST ALUMINUM **MEMBRANE:** MILITARY BREATHER LENS MATERIAL: POLYCARBONATE **ELECTRONICS: INTEGRATED-EPOXY ENCAPSULATED OPERATING TEMPERATURE:** -40°C TO +60°C

WORK LED LIGHTS



Wattage: 60W • Raw Lumens: 726 • Lux @ 10M: .1 • Beam Pattern: 120° Flood Current Consumption @ 13.8V: .3 A • Lens Design: Unique Waffle





Wattage: 10W • Raw Lumens: 800 • Lux @ 10M: 28 • Beam Pattern: 90° Flood Current Consumption @ 13.8V: .4 A

COMMON FEATURES

INPUT VOLTAGE: 10-30V DC COLOR TEMPERATURE: 6000K HOUSING MATERIAL: DIE-CAST ALUMINUM COLOR: BLACK LENS MATERIAL: PC MOUNTING BRACKET: DIE-CAST ALUMINUM HOLE DIMENSIONS: MOUNTING BOLT DRILL - .25" ELECTRONICS: INTEGRATED-EPOXY ENCAPSULATED HARDWARE: STAINLESS 316 IP RATING: IP67 PROTECTION: REVERSE POLARITY

SQUARE DRIVING LED LIGHTS

LICENSE PLATE MOUNT

HE-FLPUS

• Designed for front or rear license plate

• Mounts a cube, work or driving light

3.22"







Wattage: 72W • Raw Lumens: 5760 Lux @ 10M: 500 • Beam Pattern: 20° Spot Current Consumption @ 13.8V: 3.2 A Mounting Bracket: 304L with Stainless Steel Hardware Operating Temperature: -49°F to 185° F



Wattage: 12W • Raw Lumens: 960 Lux @ 10M: 205 • IP Rating: IP68 Beam Pattern: 5° Spot Current Consumption @ 13.8V: .9 A Heise HE-DLWH1 dual light wiring harness included

2 LIGHT PACK





MONITORS & CAMERAS



TE-7VS-4

Z INCH MONITOR WITH QUAD CAMERA INPUT

WIRELESS

READY

- 7" color LCD display
- Heavy-duty tilting bracket mount
- Display 1 to 4 cameras simultaneously
- Multiple display layouts
- 4-pin DIN camera input connectors
- Compatible with TE-WTR wireless camera kit
- Includes remote

TE-4WCM

INCH WIRELESS MONITOR WITH QUAD OUTPUT

• 7" color LCD screen

- Built-in 2.4Ghz WiFi system for linking with wireless cameras (sold separately)
- Pairs with up to 4 wireless cameras
- 137m / 450ft unobstructed wireless range
- Display 1 to 4 cameras simultaneously
- Activation trigger for reverse (backup) cam
- 4 channel DVR recording capability
- Max. 128gb microSD card





TE-CCWRM COMMERCIAL WIRELESS PORTABLE CAMERA

- 2.4Ghz wireless camera, 394ft range
- Built-in, strong magnetic base
- Built-in rechargeable lithium battery
- 12 hours of run time (in daylight)
- Overcharge protection
- O lux
- 120° of diagonal view
- FITS: UNIVERSAL



WIRELESS

TE-WPC-M

- HEAVY DUTY WIRELESS CAMERA + NIGHT VISION
- High quality metal housing
- Built-in microphone
- 1/3" CMOS camera
- 0 lux night vision / 12 IR LEDs
- 3dB antenna with 120m unobstructed range



NIGHT VISION



VIEWING

ANGLE



BUILT-IN MIC







QUICK DISCONNECT CABLES



TE-TRBRKT

PAIR OF TRAILER QUICK DISCONNECT BRACKETS

- Mounting bracket for quick disconnects
- Open slot for easy running of cable
- Includes 2 brackets
- Heavy-duty metal



NEW!

TE-CTR3

3 METER COILED CONNECTOR TRAILER CABLE

- Cable for commercial cameras
- Coiled cable to adjust for different trailer tongue lengths
- 3m / 9.8ft in length
- 4-pin DIN connectors



CAMERAS & CABLES



TRAILER WIRING

					-		2
	IBTH16		IBT-E01	IBT-E03	IBT-E05	IBT-E07	
CO MIL				- A DECENT			
and the second se			IBT-E02	IBT-E04	IBT-E06	IBT-E08	
		TRAI		CTORS			
		BLACK	PVC HOUSING W	ITH COPPE	R INTERNAL	S	
ALL COPPER HOOK	-OP WIRE	IBT-E01	6 PIN ROUND/4 WAY	FLAT EA	IBT-EO5	7 WAY BLADE TO TRAILER EN	ID EA
IBTH12 12GA 2 PIN/2 PIN RED/BLA	ACK EA/1FT	IBT-E02	7 PIN ROUND/6 WAY F		IBT-E06	7 WAY BLADE TO VEHICLE EN	DEA
IBTH16 16GA 2 PIN/2 PIN RED/BLA	CK EA/1FT	IBT-EO3	7 WAY BLADE/4 WAY FL		IBT-E07	7 BLADE 12V LED TESTER	EA
IBTH18 18GA 2 PIN/2 PIN RED/BLAC	K EA/1FT	IBT-EO4	7 WAY BLADE/5 WAY FL	AT EA	IBT-E08	MOUNTING BRACKET	EA

HEISE

/

TRAILER WIRING



ALL COPPER TRAILER WIRING PLUGS

Connectors that allow the basic hookup of the three lighting functions (running, turn and brake lights) plus one pin is provided for a ground wire (IBTH4P). One pin is available to provide support for another function (IBTH5P).

IBTH4P	4-WAY 18GA	5PK
ІВТН5Р	5-WAY 18GA	5PK



ALL COPPER TRAILER HARNESS

IBTH8P72 12GA, 16GA, 8 PIN 72" 5PK

For custom harness applications: 12Ga = RD, WT, BK 16Ga = YL, BN, GN, BL, GY

Wire recommended for RV, boats and utility trailers.

3 CONDUCTOR TRAILER WIRE

TWBGY14100	14GA BRN/GRN/YE	L	100FT SPL	
TWBGY16100	16GA BRN/GRN/YEL		100FT SPL	
TWBGY18100	18GA BRN/GRN/YEL		100FT SPL	TWBGY16100
4 CONDUCT	OR TRAILER WIF	E		
TWBGYW14100	14GA BRN/GRN/YEL/WI	нт 🖊	100FT SPL	
TWBGYW16100	16GA BRN/GRN/YEL/WH	T 1	OOFT SPL 🗧	
TWBGYW18100	18GA BRN/GRN/YEL/WHT	10	OFT SPL	TWBGYW16100
2 CONDUCTOR	R TRAILER WIRE			
TWBKRD14100	14GA BLACK/RED	100F	T SPL	
TWBKRD16100	6GA BLACK/RED	100FT	SPL	TWBKRD16100
TWBKRD18100 18	IGA BLACK/RED	100FT 9	SPL	JP

BULK TRAILER WIRE COLORS

GPT is designed for electrical usage in fleet vehicles. PVC coated high temp rated.

US18500F	2	18GA US GPT WIRE RED		EA/50	OFT	
US18500BI	. /	18GA US GPT WIRE BLUE		EA/500	FT	
US18500BR		18GA US GPT WIRE BROW	/N	EA/500F	T	
US18500GR		18GA US GPT WIRE GREEN		EA/500FT		
US185000R		18GA US GPT WIRE ORANGE		EA/500FT		
US18500PL	1	8GA US GPT WIRE PURPLE		EA/500FT		
US18500WT	18	GA US GPT WIRE WHITE	E	A/500FT	Ī	
US18500YL	18G	A US GPT WIRE YEL	EA	/500FT	ī	

ALL COPPER JACKETED PRIMARY WIRE

Wire recommended for auto/truck/ construction and light marine. Heavy duty PVC outer jacket is abrasion resistant and protects against moisture, oil, acid, and salt.

2 CONDUCTOR JPWBW8100 8GA BLACK/WHITE EA/100FT JPWBW10100 10GA BLACK/WHITE EA/100FT 12GA BLACK/WHITE **JPWBW12100 EA/100FT JPWBW14100 14GA BLACK/WHITE** EA/100FT EA/100FT **JPWBW16100 16GA BLACK/WHITE 3 CONDUCTOR 10GA BLK/GRN/WHT** EA/100FT **JPWBGW10100** 12GA BLK/GRN/WHT **PWBGW12100** EA/100FT 14GA BLK/GRN/WHT **EA/100FT** WBGW14100 JPWBGW10100 16GA BLK/GRN/WH **EA/100FT** JPWBGW16100 **4 CONDUCTOR**

JPWBGRW10100	10GA BLK/GRN/RED/WH1	EA/100FT
JPWBGRW12100	12GA BLK/GRN/RED/WHT	EA/100FT
JPWBGRW14100	14GA BLK/GRN/RED/WHT	EA/100FT
JPWBGRW16100	16GA BLK/GRN/RED/WHT	EA/100FT

	ER JACKETED RY WIRE)		
JPW6100	6 X 14GA	100FT SPL	JPW6100	
JPW7100	4 X 14GA, 3 X 12GA	100FT SPL	JPW7100	



MAINTENANCE PRODUCTS

	DIELECTRIC GREASE	HEAT SHRINK TERMINAL KIT	
	IB05113 DI-ELECTRIC GREASE 3.3 OZ EACH	 Assorted heat shrink butts, push ons, rings, and spades 	. Las sector and start and
Bielectric Grease		IBK-HS120 CONNECTOR KIT - 120 PIECE EACH	

BUTT CONNECTORS

HEAT	SHRINK				SHSBBC	SHSRBC
HSYBCM	YELLOW 24/26 HS BUTT	100/BAG	19-2246 11	HEA	T SHRINK WITH	I SOLDER
HSRBC	RED 22/18 HS BUTT	100/BAG	HSRBC	SHSBBC	HS BLUE BUTT CONN W/S	OLDER 16/14 GA
HSBBC	BLUE 16/14 HS BUTT	100/BAG	H4-16446 HSBBC	SHSRBC	HS RED BUTT CONNECTOR	W/SOLDER 22/18 GA
HSYBC	YELLOW 12/10 HS BUTT	50/BAG	12-10AW6 12-10A	SHSWBC	HS WHITE BUTT CONNECTO	R W/SOLDER 26/24 GA
HSRBC8	RED 8 GA HS BUTT	25/BAG	HSYBC	SHSYBC	HS YELLOW BUTT CONNECTO	R W/SOLDER 12/10 GA

RING TERMINALS

	18-2244C +3 HSRRT10	C		HSBRTIO	C		HSYRT516)
HE	AT SHRINK RIN	IG TERI	MINALS					
HSRRT8	RED 22/18 #8 HS RING	100/BAG	HSBRT8	BLUE 16/14 #8 HS RING	100/BA	G HSYRT8	YELLOW 12/10 #8 HS RING	50/BAG
HSRRT10	RED 22/18 #10 HS RING	100/BAG	HSBRT10	BLUE 16/14 #10 HS RING	100/BAG	HSYRT10	YELLOW 12/10 #10 HS RING	50/BAG
HSRRT14	RED 22/18 14" HS RING	100/BAG	HSBRT14	BLUE 16/14 1/4" HS RING	100/BAG	HSYRT14	YELLOW 12/10 1/4" HS RING	50/BAG
HSRRT516	RED 22/18 516" HS RING	100/BAG	HSBRT516	BLUE 16/14 5/16" HS RING	100/BAG	HSYRT516	YELLOW 12/10 5/16" HS RING	50/BAG
HSRRT38	RED 22/18 38" HS RING	100/BAG	HSBRT38	BLUE 16/14 3/8" HS RING	100/BAG	HSYRT38	YELLOW 12/10 3/8" HS RING	50/BAG
						HSYRT12	YELLOW 12/10 1/2" HS RING	50/BAG

SPADE TERMINALS

	14-162105	14-12/14/0	5
	HSBVLST6	HSBVST	8
HEAT	SHRINK SPADE	TERMIN	ALS
HSBVLST6	BLUE 16/14 HS #6 SNAP S	PADE	100/BAG
HSBVST8	BLUE 16/14 HS #8 SPADE		100/BAG
HSBVST10	BLUE 16/14 HS #10 SPADE		100/BAG
HSRVST8	RED 22/18 HS #8 SPADE		100/BAG
HSRVST10	RED 22/18 HS #10 SPADE		100/BAG

BULLET CONNECTORS

55-18 1970 HSRMB

HSBFB

NG 16-14 R.

10 PK

10 PK

10 PK

10 PK

HEAT SHRINK MALE & FEMALE

HSRMB	RED 22/18 HS MALE BULLET .187	100/BAG
HSBMB	BLUE 16/14 HS MALE BULLET .157	100/BAG
HSRFB	RED 22/18 HS FEMALE BULLET .187	100/BAG
HSBFB	BLUE 16/14 HS FEMALE BULLET .157	100/BAG



QUICK DISCONNECT



	HEA			
	FI=FU			
	HSRFFI RED 22/10 .250 HS FEMALE FI QD		100/	BAG
	HSBFFI	BLUE 16/14 .250 HS FEMALE FI QD	100/B	AG
	HSYFFI	YELLOW 12/10 .250 HS FEMALE FI QD	50/BAG	
	HSRFD	RED 22/18 .250 HS F QD	100/BAG	
HSFBD		BLUE 16/14 .250 HS F QD	100/BAG	
HSFYD		YELLOW 12/10 .250 HS F QD	50/BAG	





	HEA	T SHRIN	NK MALE			
	FI=FU	FI=FULLY INSULATED				
	HSRMF	RED 22/	'10 .250 HS MALE FI QD		100/BAG	G
	HSBMFI	BLUE 16/	14 .250 HS MALE FI QD		100/BAG	
HSYMFI		YELLOW 12	2/10 .250 HS MALE FI QD		50/BAG	
HSRMD		RED 22/18	.250 HS M QD		100/BAG	
HSMBD		BLUE 16/14	.250 HS M QD		100/BAG	
H	SMYD	YELLOW 12/1	0 .250 HS M QD	5	0/BAG	



0	\bigcirc	0	0
	RG38		RG12

RUBBER GROMMETS

	RG18	RUBBER GROMMETS 1/8" ID		100/BA	G
RG316		RUBBER GROMMETS 3/16" ID		100/BAG	
RG14		RUBBER GROMMETS 1/4" ID		100/BAG	
	RG516	RG516 RUBBER GROMMETS 5/16" ID		100/BAG	
RG38		RUBBER GROMMETS 3/8" ID	1	00/BAG	
RG12		RUBBER GROMMETS 1/2" ID	10	0/BAG	i

LONG BARREL GROMMETS						
LSB8	8 GAUGE LONG BARREL GROMMET .26" ID	25/BAG				
LSB4	4 GAUGE LONG BARREL GROMMET .40" ID	25/BAG				
LSB1	1/0 GAUGE LONG BARREL GROMMET .63" ID	25/BAG				



 Image: Constraint of the system of the sy

tesa 🖌

CABLE TUBING / CLAMPS / MOUNTS / TIES



Metra label

SLT145

SLT385

SLT122

SLT1

WIRE LOOM INSTALL TOOL					
SLT-08	WIRE LOOM INSTALL TOOL - 1/4 - 7/16 INCH	EACH			
SLT-15	WIRE LOOM INSTALL TOOL - 1/2 - 5/8 INCH	EACH			

EACH

EACH

EACH

EACH



CABLE CLAMPS BCC18 CABLE CLAMPS 1/8" BLACK 100/BAG BCC316 CABLE CLAMPS 3/16" BLACK 100/BAG 100/BAG CABLE CLAMPS 1/4" BLACK BCC14 BCC516 CABLE CLAMPS 5/16" BLACK 100/BAG **BCC38** CABLE CLAMPS 3/8" BLACK 100/BAG CABLE CLAMPS 1/2" BLACK 100/BAG BCC12 BCC34 CABLE CLAMPS 3/4" BLACK 100/BAG CABLE CLAMPS 1" BLACK 100/BAG BCC1

MOUNTING HOLE CABLE TIES				
BMCT6	6" SCREW MOUNT BLACK - 40 LB.	100/BAG	0	
BMCT7	7.5" SCREW MOUNT BLACK - 50 LB.	100/BAG		
BMCT11	11" SCREW MOUNT BLACK - 50 LB.	100/BAG		

SPLIT LOOM TUBING - BLACK

Polyethylene 200 degree LOOM dispenser boxed with

SPLIT LOOM TUBING 200 DEG 1/4" DISPENSER BOXED

SPLIT LOOM TUBING 200 DEG 3/8" DISPENSER BOXED

SPLIT LOOM TUBING 200 DEG 1/2" DISPENSER BOXED

SPLIT LOOM TUBING 200 DEG 1" DISPENSER BOXED

K CABLE TIES		
BCT4-1 4" BLACK CABLE TIES - 18 LB.		G
6" BLACK CABLE TIES - 30 LB.	1000/BAG	6
8" BLACK CABLE TIES - 40 LB.	1000/BAG	
18" BLACK CABLE TIES - 50 LB.	100/BAG	
	4" BLACK CABLE TIES - 18 LB. 6" BLACK CABLE TIES - 30 LB. 8" BLACK CABLE TIES - 40 LB.	4" BLACK CABLE TIES - 18 LB. 1000/BAG 6" BLACK CABLE TIES - 30 LB. 1000/BAG 8" BLACK CABLE TIES - 40 LB. 1000/BAG

STORAGE CONTAINER

IB12STORAGE

617	862×10	
	BCT4	

SI T1

FUSE & HEAT SHRINK KITS

12 SLOT STORAGE CONTAINER



EACH

CLIPS & SCREWS

STAINLESS			WIRE CLIPS
FW188	#10 18-8 S.S. FLAT WASHER	10/BAG	Screw Mount
FW316S	#10 316 S.S. FLAT WASHER	10/BAG	IBCLIP8 8AWG WIRE CLIPS 4/BAG
NTSC1024	#10-24 18-8 S.S. HX NYLON INSERT	100/BAG	IBCLIP10 10AWG WIRE CLIPS 4/BAG
POHSC10134	#10 X 1-3/4 18-8 S.S. PHIL OVAL	100/BAG	
POHSC102	#10 X 2 18-8 S.S. PHIL OVAL	100/BAG	
POHSC834	#8 X 3/4 18-8 S.S. PH OVAL	100/BAG	
PPHSC1024114	#10 X 24 1-1/4" PHIL PAN	100/BAG	FW188 FW316SC POHSC834
PPHSC141	#14 X 1 18-8 S.S. PHIL PAN	100/BAG	
PPHSS101	#10 X 1 18-8 S.S. PH PAN	100/BAG	
PPHSS81	#8 X 1 18-8 S.S. PH PAN	100/BAG	POHSCI0134

GROUNDING KIT + KIT RE-ORDER PARTS



SOLDER & WORKLIGHTS



SOLDER KIT					
IBP2KC	WELLER PROFESSIONAL	EACH			
	SELF-IGNITING CORDLESS				
	BUTANE				

A lightweight, compact cordless butane soldering and hot air tool. Fast heat-up for high productivity, melts solder in less than 40 seconds. 25-75 watts.

PT1	.031 SINGLE FLAT TIP (For USE with the IBP2KC)	EACH
PPT2	.094 SINGLE FLAT TIP (FOR USE WITH THE IBP2KC)	EACH
PPT5	.031 DOUBLE FLAT TIP (FOR USE WITH THE IBP2KC)	EACH
PPT6	.094 DOUBLE FLAT TIP (For use with the IBP2KC)	EACH



SOLDERING IRON KIT WELLER SUPER PRO **IBPSI100K** EACH SELF-IGNITING BUTANE SOLDERING IRON KIT

Professional quality, features "auto switch" safety shut-off and iron plated tip. Provides up to 125 watts of power.

SOLDER			
SDR1	.040 ROSEN CORE SOLDER 1 LB SPOOL 60/40 KESTER	EACH	
SDR14	.062 ROSEN CORE SOLDER .25 LB SPOOL 60/40	EACH	
ESDR-1	.040 ROSEN CORE SOLDER 1LB SPOOL 60/40 ECONOMY	EACH	
ASDR1	1LB .062 ALUMINUM SOLDER	EACH	
GFLUX2	2 OZ. GOLDEN FLUX FOR ASDR1 Only	EACH	



SOLDERING STATION WELLER 40 WATT IBWLC100 EACH

Variable power control produces 5-40 watts. Quality, lightweight pencil iron, natural sponge tip cleaning pad. Includes ST3 iron plated copper tip.





SDR1

WOR	KLIGHTS	
SL864	60 LED W/50FT 18/2 CORD REEL	EACH
reel is 60 giving yo floodligh	to Hanging Worklight on 50ft. retracta 0 LEDs on the body of a hanging work ou the ability to keep working longer. 6 It creates 120 lumens. Dual-position man ngs horizontally and vertically.	light, 60 LED
SL2125	60 LED W/25FT 18/2 CORD	EACH
SLR2166	66 LED RECHARGEABLE SPOT WITH MAG HOOK	EACH


SL864

SLR2166

hook hangs horizontally and vertically.		
SL2125	60 LED W/25FT 18/2 CORD	E
SLR2166	66 LED RECHARGEABLE SPOT WITH MAG HOOK	E/
	_	



KNIFE CUTTING & SCISSORS & SCRAPER





EACH

10/PK

50/PK

EACH

GSR13B

EACH

EACH

EACH

EACH

FACH

HAND TOOLS



DOOR PANEL REMOVER DO		DOOR UPHOLSTERY REMOVER	
IB35350	EACH	IB35400	EACH
Removes door panel fasteners	oves door panel fasteners even in tight spaces. The bent For plastic fasteners. Rugged tool with a large, comf		ool with a large, comfortable

Removes door panel fasteners even in tight spaces. The bent handle design allows use where space is limited and provides extra prying force.

For plastic fasteners. Rugged tool with a large, comfortable handle.



CUTTERS & WIRE STRIPPERS & CRIMPERS & SAW BLADES



CABLE CUTTER IB63020 KURVE MULTI

Three different cutting blades; anvil, copper, curved and steel. Cleanly shears 6-32 & 8-32 screws. Double-dipped comfort grips with curved handles.



WIRE STRIPPER

IB1004

EACH

EACH

Cuts, strips and loops 12-26 solid and stranded wire. Adjustable slide stop with set screw for repeat stripping work.

EACH

EACH



WIRE STRIPPER CUTTER

IB11045

EACH

Strips 10-18 awg solid wire, easy to read wire gauge markings and coil spring.



WIRE STRIPPER IB1011 MULTI PURPOSE

Strips 10-20 awg wire, bend shapes, pulls and loops wire, coil springs.

ECONOMY



 DIAGONAL CUTTERS

 IBD275-5
 MIDGET LIGHTWEIGHT

5" Lightweight. Shears wire up to 14 awg with flush cutting action, compact head, steel hold-open spring, plastic-covered handles.



DIAGONAL CUTTERS IBD209-4 MIDGET POINTED NOSE (4")

Sharp pointed nose for precise tip cutting and trimming printed circuit boards.

EACH







Patented 3-in-1 quality crimping tool designed for quick splice T-tap clipping, wire cutting and connector crimping.



CABLE CUTTER TCT8 CUTS UP TO 4 GAUGE EACH

8" T-TAP CRIMPER/CUTTER TIT08 EACH

Patented 2-in-1 wire quick splice T-tap clipper and wire cutter. Hot forged and specially heat treated alloy for extra durability.



5" STRIPPER	AND CUTTER
HW-9006	EACH

5" made of carbon steel and hardened with black-oxide finish.



For stripping wires from 22-12 awg. Crimper made of carbon steel and hardened. Crimps red 22-18 awg, blue 16-14 awg, yellow 12-10 awg.



AIR SAW BLADES		
ABS24	24TPI 1/2"	EACH
ABS24-5	24TPI 1/2"	5/PK
ASB18-5	18TPI 1/2"	5/PK
ASB10-5	10TPI 1/2"	5/PK

Bi-metal blades bend and resist breaking. High speed steel teeth provide long-lasting cutting edge



BITS & HAND TOOLS







UNIBIT		
IB59001	13 INCREMENTS FRACTIONAL: 1/8"-1/2"	EACH

Double fluted design eliminates skidding and makes for easier resharpening. Also features laser etched hole sizes, anti-skid tip and drill points so there is no pilot hole needed. Works with most metals.



Double fluted design eliminates skidding and makes for easier resharpening. Also features laser etched hole sizes, anti-skid tip and drill points so there is no pilot hole needed. Works with most metals.



Durable PVC black block allows for easy storage of standard bits. Block slides over most screwdriver shafts for easy bit access and storage. Industrial strength, heat-treated steel bits for long-lasting use.



SKEWDRIVER



SKEWDRIVER



SKEWDRIVER PRO® EACH

HW-9001

The Skewdriver® is a bevel gear offset screwdriver that uses the rotary handle action of a regular screwdriver to access awkward and hard to reach places. The sturdy removable hollow handle allows use with any cord free 1/4" drill and acts as a handy storage for bits.

SKEWDRIVER PRO[®] KIT EACH

SPK4040

The Skewdriver® Pro SPK4040 kit features an offset bit driver, a rightangle tool that's perfect for removing the screws that secure some dash speaker grilles, getting to screws in hard-to-reach trim pieces, or working in tight quarters anywhere in your car or home.

BEVEL-GEAR DRIVER P9801H EACH

Die cast Skewdriver® Pro offset bevel gear driver, with NEW SUPER GEARS , 3 times stronger than previous models, has stabilizer lock screw, ANSI impact ready input shaft, black chrome finish.







OFFSET HI-SPEED HEAD		
HD-105	HEAVY DUTY 105° OFFSET HI-SPEED HEAD	EACH

Made for heavy-duty power units. Rated at more than 500 in/lbs of torque/2000rpm. Lets you get your power unit into tight spots with drills, spade drills, grinders, buffers, nuts and screws.



EACH

WRENCH SET		
PBS-1438	3/8" AND 1/4" WRENCH SET	EACH

PBX 1400 Powerbox accessory with 7 piece English and Metric sockets.



TESTERS & GENERATORS & PROBES & MULTIMETERS







HANDY CIRCUIT TESTER IB25600 EACH

Hooded probe protects your fingers and automatically centers the wires. Small size allows easy use even in the tightest places. Works up to 28 volts.



Safe for use on 12volt automotive computer circuits. Tool draws less than 21 M.A. at 12 volts D.C. With an operating range of 3-12 Volts. • Red glow - positive

• Green glow - negative



3410	EACH

Ergonomic grip design with 6-foot test leads. Transparent handle shows bright LEDs to identify connections: Green = Ground Present Red = Voltage Present

EACH



PISTOL & VOLT PROBE

HI-VIS VOLTPRO CIRCUIT TESTER

Indicates power and grounds. Test the circuit's ability to deliver current and identify loose, corroded or broken wires. Capture intermittent spikes or drops in voltage. Take voltage snapshots in any mode, any time.

- Dynamic voltage drop testing
- Power and ground LED indicators
 Voltage snapshot
- Min/max glitch capture

76600

Computer safe

EACH



AUTO-RANGING DMM

3320

10 MegOhm/UL

Auto-Ranging[™] scales eliminate the need to dial in the correct range when making electronic measurements. 10 MegOhm input impedance for safe automotive and household uses. Large digital display. Single-setting resistance function for voltage (AC & DC). Color-coded LEDs display battery quick check. Includes attachable test leads, holders and stand.



AUTO MULTIMETERS

MM400	AUTO RANGING	EACH		
Measures up to 600V AC/DC voltage 10A AC/DC				

- C/DC voltage, 10A AC/DC current and 40 Mff resistance
- Measures capacitance, temperature, frequency, dutycycle, and test diodes and continuity
- CAT III 600V safety rating



29




MANUAL MULTIMETERS

MM300	MANUAL RANGING	EACH
 Measures up to 600V AC/DC voltage, 10A AC/DC 		


- current and 2Mff resistance Tests batteries, diodes and continuity
- CAT III 600V safety rating

TRAILER WIRING REFERENCE GUIDE

VEHICLE-SIDE CONNECTIONS



TRAILER-SIDE CONNECTIONS



AUXILIARY POWER REVERSE LIGHTS RIGHT TURN & BRAKE LEFT TURN & BRAKE ELECTRIC BRAKES

ELECTRIC BRAKES



GROUND REVERSE LIGHTS ELECTRIC BRAKES LEFT TURN & BRAKE AUXILIARY POWER RIGHT TURN & BRAKE



ELEC. BRAKES / AUX. PWR TAIL LIGHTS GROUND AUX. PWR / ELEC. BRAKES LEFT TURN & BRAKE RIGHT TURN & BRAKE



TAIL LIGHTS AUXILIARY POWER **REVERSE LIGHTS** RIGHT TURN & BRAKE LEFT TURN & BRAKE ELECTRIC BRAKES GROUND






<u> NHEISE</u>



TRAILER WIRING REFERENCE GUIDE







Learn more about automotive led lights we have.