

### **#1 IN THE WORLD**

**HJC HELMETS 2019 COLLECTION** 

02 HJC HELMETS 2019 COLLECTION

### IT'S ALL ABOUT PERFORMANCE, QUALITY, STYLE & COMFORT




























NATE ADAMS Freestyle











RPHA 11 PRO DEADPOOL MC1SF





2019 HJC HELMETS I MARVEL















### **RPHA70ST**



BLACK PANTHER





@ 2018 MARVEL



**10** HJC HELMETS 2019 COLLECTION







RPHA 70 ST WOLVERINE X-MEN

### **CL-17**













JUSTICE LEAGUE and all related characters and elem © 8 ™ DC Comics and Warner Bros. Entertainment

H

and a





RPHA 11 PRO BATMAN DC COMICS

SHELL



Polygiene









THE FLASH DC COMICS




































# RPHA

RPHA 90 I RPHA 11 PRO I RPHA 70 ST

# RPHA 90



INCLUDED

PREMIUM INTERGRATED MA P.I.M PLUS Shell Composite

ACS : Advanced Channeling Ventilation System

RapidFire<sup>™</sup> III Shield Replacement System

Sun-Visor with Wider Vision (HJ-L1)

Sun-Visor Control

Low-Noise Interior





### I RPHA 90 TANISK



MC65F









BLACK



SEMI FLAT TITANIUM





SEMI FLAT BLACK

	XS	SM	MD	LG	XL	2XL
HELMET (cm)	54 <b>-</b> 55	55 <del>-</del> 56	57 <b>-</b> 58	58 <b>-</b> 59	60 <b>-</b> 61	62 <b>-</b> 63
CHEEK PAD (mm)	45	40	35	30	30	25
LINER (mm)	12	9	12	9	12	7

### I RPHA 11 PRO SARAVO NEW













### I RPHA 11 PRO CHAKRI











### I RPHA 11 PRO QUINTAIN











#### I RPHA 11 PRO SPICHO





### I RPHA 11 PRO DEROKA



#### I RPHA 11 PRO BLUDOM





### I RPHA 11 PRO RIBERTE







## I RPHA 70 BALIUS NEW











I RPHA 70 VIAS













KESF

## I RPHA 70 GADIVO





## FULL FACE

i70 | C70 | CL-17 | FG-17 | CS-R3 | CL-Y





	XS	SM	MD	LG	XL	2XL
HELMET (cm)	53 <b>-</b> 54	55-56	57-58	59 <b>-</b> 60	61 <b>-</b> 62	63 <b>-</b> 64
CHEEK PAD (mm)	40	35	30	30	30	25
LINER (mm)	15	12	12	18	15	12



#### POWERFUL AIR-FLOW VENTILATION AND EXHAUST

ULTRA-QUICK RACHET SYSTEM

SUN VISOR WITH WIDER-VISION

NEW HJ-31 SHEILD WITH WIDE VISION

ONE-TOUCH LOCKING SYSTEM













## I i70 KARON NEW













## I C70 TROCKY



















### I CL-17 COMBAT NEW













\*XS-2XL only HJ-09 JVA/UVB 95% SHIELD













#### AVAILABLE IN SOLID COLORS

	BLACH	K MAT	TE BLACK	SILVE	R AN	THRACITE	WHIT	E WI	NEBERRY
	XS	SM	MD	LG	XL	2XL	ЗXL	4XL	5XL
HELMET (cm)	54 <b>-</b> 55	56 <b>-</b> 57	58 <b>-</b> 59	60 <b>-</b> 61	62 <b>-</b> 63	63 <b>-</b> 64	65 <b>-</b> 66	67 <b>-</b> 68	69 <b>-</b> 70
HEEK PAD (mm)	40	35	30	35	30	25	25	20	17
LINER (mm)	18	15	12	18	15	12	15	12	9

### I CL-17 PHANTOM NEW







## I CL-17 RAGUA



MC5SF

## I CL-17 ARICA











## I FG-17 TALOS











#### AVAILABLE IN SOLID COLORS

	BLACK		MATTE BLACK		SILVER	1	WHITE	
	XS	SM	MD	LG	XL	2XL	ЗXL	
HELMET (cm)	54-55	55 <b>-</b> 56	57 <b>-</b> 58	58 <b>-</b> 59	60 <b>-</b> 61	62 <b>-</b> 63	64-65	
CHEEK PAD (mm)	35	30	35	30	35	30	20	
LINER (mm)	12	9	15	12	15	12	7	

## I CS-R3 FAREN NEW




MC5SF







MC75F







#### AVAILABLE IN SOLID COLORS

	BLACK	MATTE BLACK	SILVER	WHITE	CANDY RED	WINEBERRY
1	XS	SM	MD	LG	XL	2XL
HELMET (cm)	53-54	55-56	57-58	59 <b>-</b> 60	61-62	63-64
CHEEK PAD (mm)	40	35	30	35	30	25
LINER (mm)	15	12	9	15	12	9

## I CS-R3 SONGTAN









## I CS-R3 TRION





















# MODULAR

CL-MAX III I IS-MAX II





	XS	SM	MD	LG	XL	2XL	3XL
HELMET (cm)	53 <b>-</b> 54	55 <b>-</b> 56	57 <b>-</b> 58	59 <b>-</b> 60	61 <b>-</b> 62	63 <b>-</b> 64	65 <b>-</b> 66
CHEEK PAD (mm)	35	30	25	30	25	20	17
LINER (mm)	15	12	9	15	12	9	12

## I CL-MAX III FLOW NEW













## I IS-MAX II DOVA







#### AVAILABLE IN SOLID COLORS

	BLAC	к мат	TE BLACK	SILVE	SILVER ANTHRACITE			WHITE WINEBERRY		
	XS	SM	MD	LG	XL	2XL	ЗXL	4XL	5XL	
HELMET (cm)	53-54	55 <b>-</b> 56	57-58	59 <b>-</b> 60	61-62	63 <b>-</b> 64	65 <b>-</b> 66	67-68	69 <b>-</b> 70	
CHEEK PAD (mm)	32	27	22	27	22	17	20	17	14	
LINER (mm)	15	12	9	15	12	9	15	12	9	



## OPEN FACE

IS-5 | IS-33 || | FG-JET | CL-IRON ROAD | IS-CRUISER | CS-5N | CS-2N

### I IS-5 LANDON NEW









. 19 0 MC55F X5 to 2XL

Cł



VISOR INCLUDED

#### AVAILABLE IN SOLID COLORS

	BLACK	META	L FLAKE BLACK	SEMI FLAT	BLACK	SEMI FLAT WHITE	
	XS	SM	MD	LG	XL	2XL	
HELMET (cm)	54 <b>-</b> 55	55 <b>-</b> 56	57 <b>-</b> 58	58 <b>-</b> 59	60 <b>-</b> 6	1 62-63	
HEEK PAD (mm)	45	40	40	35	40	30	
LINER (mm)	12	9	12	9	12	9	

## I IS-33 II APUS NEW







HIF



#### AVAILABLE IN SOLID COLORS

СН

	BLACK	MATTE BLACK	SILVER	ANTHRACITE	WHITE	WINEBERRY
	XS	SM	MD	LG	XL	2XL
HELMET (cm)	53 <b>-</b> 54	55-56	57 <b>-</b> 58	59-60	61 <b>-</b> 62	63-64
HEEK PAD (mm)	35	30	25	30	25	20
LINER (mm)	15	12	9	15	12	9



BLACK



WHITE



HI-VIZ YELLOW





MATTE BLACK

## FG-JET

	XS	SM	MD	LG	XL	2XL
HELMET (cm)	54 <b>-</b> 55	55-56	57-58	58-59	60 <b>-</b> 61	62 <b>-</b> 63
CHEEK PAD (mm)	35	30	35	30	25	20
LINER (mm)	12	9	15	12	12	9





	XS	SM	MD	LG	XL	2XL
HELMET (cm)	53-54	55 <b>-</b> 56	57-58	59-60	61 <b>-</b> 62	63 <b>-</b> 64
LINER (mm)	12	9	7	12	9	7





## I IS-CRUISER BLUSH

DOT

MC5

## **IS-CRUISER**

X5 to 2XL

	AVAILABL	E IN SOLID C	DLORS	_		_
	BLACK	MATTE BLACK	SILVER	ANTHRACITE	WHITE	WINEBERRY
	X5	SM	MD	LG	XL	2XL
HELMET (cm)	53 <b>-</b> 54	55-56	57 <b>-</b> 58	59-60	61 <b>-</b> 62	63-64
LINER (mm)	18	15	12	15	12	9

MC8





SILVER

ANTHRACITE

MATTE BLACK

BLACK

WHITE

XS SM MD LG XL 2XL HELMET (cm) 53-54 55-56 57-58 59**-**60 61-62 63-64 CHEEK PAD (mm) 45 40 35 40 35 30 15 12 15 12 LINER (mm) 9 9






LINER (mm)



# OFF ROAD

i 50 I CS-MX II I CL-XY II





"SLID" SYSTEM SLIDING LAYER IMPACT DISTRIBUTION

PERPECT GOGGLE FIT

FUNCTIONALLY DESIGNED VISOR

SUPERIOR VENTILATION



	XS	SM	MD	LG	XL	2XL
HELMET (cm)	53 <b>-</b> 54	55 <b>-</b> 56	57 <del>-</del> 58	59 <del>-</del> 60	61 <del>-</del> 62	63 <b>-</b> 64
CHEEK PAD (mm)	50	40	35	40	35	25
LINER (mm)	18	12	9	15	12	7






















I DS-X1 AWING

MC55F

9







## I CS-MX II PICTOR



## I CS-MX II DAKOTA







MC75F







## I CL-XY II BATOR









#### **SIZING CHART**

Helmet Size Convention Chart

SIZE	CENTIMETER	HAT SIZE	INCH
XS	53-54	6 5/8 <b>-</b> 6 3/4	20 7/8 - 20 1/2
SM	55-56	6 7/8 <b>-</b> 7	21 5/8 <b>-</b> 22
MD	57 <b>-</b> 58	7 1/8 - 7 1/4	22 1/2 <b>-</b> 22 7/8
LG	59-60	7 3/8 - 7 1/2	23 1/4 - 23 5/8
XL	61-62	7 5/8 - 7 3/4	24 - 24 3/8
2XL	63 <b>-</b> 64	7 7/8 - 8	24 3/4 - 25 1/4
ЗХL	65-66	8 1/8 - 8 1/4	25 3/8 - 26
4XL	67-68	8 3/8 <b>-</b> 8 1/2	26 3/8 - 26 3/4
5XL	69-70	8 3/4	27 1/4 - 27 5/8

CL-17 & CL-17 PLUS

#### RPHA SERIES, FG-17, FG-JET

SIZE	CM	HAT SIZE	INCH	SIZE	CM	HAT SIZE	INCH
XS	54-55	6 3/4 - 6 7/8	21 1/4 - 21 5/8	XS	54-55	Б з/4 - Б 7/8	21 1/4 - 21 5/8
5M	55-56	6 7/8 - 7	21 5/8 - 22	SM	55-56	7 - 7 1/8	22 - 22 1/2
MD	57-58	7 1/8 - 7 1/4	22 1/2 - 22 7/8	MD	57-58	7 1/4 - 7 3/8	22 7/8-23 1/4
LG	58-59	7 1/4 - 7 3/8	22 7/8 - 23 1/4	LG	59-60	7 1/2 - 7 5/8	23 5/8 - 24
XL	60-61	7 1/2 - 7 5/8	23 5/8 - 24	XL	61-62	7 3/4 - 7 7/8	24 3/8 - 24 3/4
XL	62-63	7 3/4 - 7 7/8	24 3/8 - 24 3/4	2XL	63-64	8 - 8 1/8	25 1/4 - 25 5/8
3XL	64-65	8 - 8 1/8	25 1/4 - 25 5/8	3XL	65-66	8 1/8 - 8 1/4	25 5/8 - 26
				4XL	67-68	8 3/8 - 8 1/2	26 3/8 - 26 3/4
				5XL	69-70	8 3/4	27 1/4 - 27 5/8

#### CL-Y (YOUTH)

0.10							
SIZE	CM	HAT SIZE	INCH	SIZE	CM	HAT SIZE	INCH
SM	49-50	6 3/4 - 6 7/8	21 1/4 - 21 5/8	SM	49-50	6 1/8 - 6 1/4	
MD	51-52	6 7/8 - 7	21 5/8 - 22	MD	51-52	6 3/8 - 6 1/2	
LG	53-54	7 1/8 - 7 1/4	22 1/2 - 22 7/8	LG	53-54	6 5/8 - 6 3/4	
				XL	55-56	6 7/8 - 7	

CI-XY II (YOUTH)

## SELECTING THE RIGHT HELMET

- Never buy a used helmet or borrow someone else's helmet. Over time the protective foam in helmets will adjust to the contours of a user's head. A used or borrowed helmet may not offer as much as much protectiona s a new helmet.
- Wearing the wrong size helmet can increase your risk of serious injury or death in an accident. A helmet that is too large for your head may be dislodged or knocked off in an accident. To select the right size helmet for your head, follow these instructions:
- 1 Measure your head. Wrap a tape measure around your head about one inch (2.5cm) above your eyebrows.
- 2 Use the sizing chart to select the helmet size that corresponds most dosely to your head measurement. If your head size falls between two helmet sizes, try on the larger helmet first and then the smaller size.
- 3 Try on the helmet by grasping both chin straps to pull the helmet completely onto your head, ensuring that the top of your head is in contract with the top of the helmet interior.
- 4 Check for a proper fit. To make sure your helmet is the right size, check that:
  - The helmet inner linings fits snugly around your head.
  - The top pad presses firmly on your head.
  - There is no space around your brow under the inner lining.
  - Test this by trying to insert your fingers.

If the helmet does not fir snugly, try on a smaller size.

- 5 Check your field of vision when trying on a helmet Some helmets may obstruct or block your vision when looking left, right, up, or down.
- Always make sure you can see well enough to safely operate your motorcycle.
- 6 Test the helmet fit by placing your hands on each side of the helmet. While holding your head as motionless as possible, try rotating your helmet from left to right then up and down. If you can feel the helmet padding sliding on your head, it is too big, try a size smaller. You should feel the helmet move the skin on your head and face as you try to move the helmet.



7 Fasten the retention system (chin strap) as tight as possible under your jaw without causing plan. There must be no slack in the strap, and the strap must be tight up againgst your jaw.

#### 8 Test the retention system (chin strap)

- Put your hands on the back of the helmet and try to push the helmet off by rotating it forward.
- Put your hands on the front of the helmet above your forehead (or on the chin guard) and try to push the helmet off by rotating backward.



If helmet comes off, try another size or another model or brand.


Repeat steps 3 through 8 until you find a helmet that fits your head snugly and securely.



## SUNSHIELD OPERATION

There are three positions for the sunshield sliding lever.

- Stage 1 Standard position: works best for leaned forward riding position -(sportbikes) and when more nose clearance is desired.
- Stage 2 Lower position: works best for more upright riding position (cruisers and touring bikes)
- Stage 3 Lowest position: Used primarily for sunshield removal and replacement, Release button must be held down to get to Stage3.



SHIELD TYPES	HELMET MODEL			
HJ-03	CL-12Y, CL-14Y, CS-12Y, CS-Y			
HJ-05	AC-10, CL-12, CL-Y, CS-12, SY-MAX			
HJ-07	AC-11, CL-14, CL-MAX			
HJ-09	AC-12, CL-15, CL-16, CL-SP, CS-R1, CS-R2,			
	CS-R3, FS-10, FS-15, IS-16, CL-17, CL-17 PLUS			
HJ-11	AC-3, CL-33			
HJ <b>-</b> 12	FS-3			
HJ <b>-</b> 17	CL-MAX III, IS-MAX BT, SY-MAX III, IS-MAX II			
HJ <b>-</b> 17J	CL-JET, IS-33			
HJ-17R	FG-JET, IS-33 II			
HJ-20	RPHA 10 PRO, RPHA 10, RPS-10			
HJ-20M	FG-17, IS-17			
HJ-20ST	RPHA ST			
HJ <del>-</del> S2	SY-MAX II			
HJ25	RPHA MAX			
HJ <b>-</b> 26	RPHA 70 ST , RPHA 11 PRO			
HJ <b>-</b> 27	DS-X1			
HJ-29	RPHA 90			
HJ-31	170			



## **#1 IN THE WORLD**

Check out the collection of motorcycle helmets we offer.